

Amitriptyline

Section

Medicines used in depressive disorders
 Oral > Solid: 25 mg; 75 mg

Indications

Depressive disorders

Buprenorphine

Section

Medicines for disorders due to psychoactive substance use

Indications

Therapeutic equivalent to methadone for

Opioid dependence

Bupropion

Section

Medicines for disorders due to psychoactive substance use
 Oral > Solid: 150 mg sustained-release (hydrochloride)

Indications

Nicotine dependence

Carbamazepine

Section

Medicines used in bipolar disorders
 Oral > Solid: 100 mg scored; 200 mg scored

Indications

Bipolar or related disorders

Chlorpromazine

Section

Medicines used in psychotic disorders
 Oral > Liquid: 25 mg per 5 mL (hydrochloride)
 Oral > Solid: 100 mg (hydrochloride); 10 mg (hydrochloride); 25 mg (hydrochloride); 50 mg (hydrochloride)
 Parenteral > General injections > unspecified: 25 mg per mL in 2 mL ampoule (hydrochloride)

Indications

Schizophrenia or other primary psychotic disorders

Citalopram

Section

Medicines used in depressive disorders

Indications

Therapeutic equivalent to fluoxetine for

Depressive disorders

Clomipramine

Section

Medicines used for obsessive compulsive disorders
Oral > Solid: 10 mg (hydrochloride); 25 mg (hydrochloride)

Indications

Obsessive-compulsive disorder

Clozapine

Section

Medicines used in psychotic disorders
Oral > Solid: 25 mg; 50 mg; 100 mg; 200 mg

Indications

Schizophrenia or other primary psychotic disorders

Diazepam

Section

Medicines for anxiety disorders
Oral > Solid: 5 mg (scored); 2 mg (scored)

Indications

Anxiety

Escitalopram

Section

Medicines used in depressive disorders

Indications

Therapeutic equivalent to fluoxetine for

Depressive disorders

Fluoxetine

Section

Medicines used in depressive disorders
Oral > Solid: 20 mg (as hydrochloride)

Indications

Depressive disorders

Fluphenazine

Section

Medicines used in psychotic disorders
Parenteral > General injections > IM: 25 mg per mL in ampoule (decanoate); 25 mg per mL in ampoule (enanathate)

Indications

Schizophrenia or other primary psychotic disorders

Fluvoxamine

Section

Medicines used in depressive disorders

Indications

Therapeutic equivalent to fluoxetine for

Depressive disorders

Haloperidol

Section

Medicines used in psychotic disorders

Parenteral > General injections > IM: 5 mg per mL in ampoule

Oral > Liquid: 2 mg per mL

Oral > Solid: 2 mg; 0.5 mg; 5 mg

Indications

Schizophrenia or other primary psychotic disorders

Lithium carbonate

Section

Medicines used in bipolar disorders

Oral > Solid: 300 mg

Indications

Bipolar or related disorders

Methadone

Section

Medicines for disorders due to psychoactive substance use

Oral > Liquid: 5 mg per 5 mL (methadone hydrochloride); 10 mg per 5 mL (methadone hydrochloride); 5 mg per mL concentrate for oral liquid (methadone hydrochloride); 10 mg per mL concentrate for oral liquid (methadone hydrochloride)

Indications

Opioid dependence

Methylphenidate

Section

Medicines for mental and behavioural disorders

Multiple formulations and strengths.

Indications

Attention deficit hyperactivity disorder

Nicotine replacement therapy

Section

Medicines for disorders due to psychoactive substance use

Oral > Other: 2 mg chewing gum; 4 mg chewing gum

Local > Topical > Transdermal patch: 5 to 30 mg per 16 hour; 7 to 21 mg per 24 hour

Indications

Nicotine dependence

Paliperidone

Section

Medicines used in psychotic disorders

Parenteral > General injections > IM: 25 mg in pre-filled syringe (as palmitate); 50 mg in pre-filled syringe (as palmitate); 75 mg in pre-filled syringe (as palmitate); 100 mg in pre-filled syringe (as palmitate); 150 mg in pre-filled syringe (as palmitate)

Indications

Schizophrenia or other primary psychotic disorders

Paroxetine

Section

Medicines used in depressive disorders

Indications

Therapeutic equivalent to fluoxetine for

Depressive disorders

Risperidone

Section

Medicines used in psychotic disorders

Oral > Solid: 0.25 mg; 0.5 mg; 1 mg; 2 mg; 3 mg; 4 mg; 6 mg

Parenteral > General injections > IM:

Indications

Schizophrenia or other primary psychotic disorders

Therapeutic equivalent to paliperidone for

Schizophrenia or other primary psychotic disorders

Sertraline

Section

Medicines used in depressive disorders

Indications

Therapeutic equivalent to fluoxetine for

Depressive disorders

Valproic acid (sodium valproate)

Section

Medicines used in bipolar disorders

Oral > Solid: 200 mg tablet (enteric-coated); 500 mg tablet (enteric-coated)

Indications

Bipolar or related disorders

Varenicline

Section

Medicines for disorders due to psychoactive substance use

Oral > Solid: 0.5 mg; 1 mg

Indications

Nicotine dependence