



Model List of Essential Medicines

Aztreonam

Section	Indications
Reserve group antibiotics Parenteral > General injections > unspecified: 1 g in vial powder for injection; 2 g in vial powder for injection	Other specified bacterial diseases

Ceftaroline

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 400 mg in vial (as fosamil) powder for injection; 600 mg in vial (as fosamil) powder for injection	Other specified bacterial diseases

Ceftazidime + avibactam

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 2 g in vial + 0.5 g in vial powder for injection	Carbapenem-resistant <i>Pseudomonas aeruginosa</i>
	Carbapenem resistant Enterobacteriales

Colistin (injection)

Section	Indications
Reserve group antibiotics Parenteral > General injections > unspecified: 1 million IU in vial (as colistemethate sodium)	Other specified bacterial diseases

Daptomycin

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 350 mg in vial powder for injection; 500 mg in vial powder for injection	Other specified bacterial diseases

Eravacycline

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 50 mg lyophilized powder for injection	Carbapenem resistant Enterobacteriales

Fifth generation cephalosporins

Section	Indications
Reserve group antibiotics	Other specified bacterial diseases

Fosfomycin (injection)

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 2 g in vial (as sodium) powder for injection; 4 g in vial (as sodium) powder for injection	Other specified bacterial diseases Carbapenem resistant <i>Acinetobacter baumannii</i> Carbapenem-resistant <i>Pseudomonas aeruginosa</i> Carbapenem resistant <i>Enterobacteriales</i>

Linezolid

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 2 mg per mL in 300 mL bag Oral > Liquid: 100 mg per 5 mL powder for oral liquid Oral > Solid: 400 mg tablet; 600 mg tablet	Other specified bacterial diseases

Meropenem + vaborbactam

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 1 g in vial + 1 g in vial powder for injection	Carbapenem-resistant <i>Pseudomonas aeruginosa</i> Carbapenem resistant <i>Enterobacteriales</i> Carbapenem resistant <i>Acinetobacter baumannii</i>

Omadacycline

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 100 mg lyophilized powder for injection Oral > Solid: 300 mg	Methicillin resistant <i>Staphylococcus aureus</i>

Oxazolidinones

Section	Indications
Reserve group antibiotics	Other specified bacterial diseases

Plazomicin

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 500 mg per 10 mL (Injection)	Carbapenem resistant <i>Acinetobacter baumannii</i> Carbapenem-resistant <i>Pseudomonas aeruginosa</i> Carbapenem resistant <i>Enterobacteriales</i>

Polymyxins

Section	Indications
Reserve group antibiotics	Other specified bacterial diseases

Tigecycline

Section	Indications
Reserve group antibiotics Parenteral > General injections > IV: 50 mg in vial powder for injection	Other specified bacterial diseases