

**Abiraterone**

## Section

Hormones and antihormones  
 Oral > Solid: 250 mg; 500 mg

## Indications

Malignant neoplasms of prostate

**Anastrozole**

## Section

Hormones and antihormones  
 Oral > Solid: 1 mg tablet

## Indications

Other specified malignant neoplasms of breast

Malignant neoplasms of breast

**Bicalutamide**

## Section

Hormones and antihormones  
 Oral > Solid: 50 mg

## Indications

Malignant neoplasms of prostate

**Dexamethasone**

## Section

Hormones and antihormones  
 Oral > Solid: 4 mg  
 Parenteral > General injections > unspecified: 4 mg per mL in 1 mL ampoule (as disodium phosphate salt)  
 Oral > Liquid: 2 mg per 5 mL  
 Oral > Solid: 2 mg; 4 mg

## Indications

Plasma cell myeloma

Lymphoid leukaemia, not elsewhere classified

Burkitt lymphoma including Burkitt leukaemia

**Enzalutamide**

## Section

Hormones and antihormones  
 Oral > Solid: 40 mg

## Indications

Therapeutic equivalent to *abiraterone* for

Malignant neoplasms of prostate

Malignant neoplasms of prostate

## Flutamide

### Section

Hormones and antihormones

### Indications

Therapeutic equivalent to bicalutamide for

Malignant neoplasms of prostate

## Fulvestrant

### Section

Hormones and antihormones

Parenteral > General injections > IV: 250 mg per 5 mL

### Indications

Malignant neoplasms of breast

## Goserelin

### Section

Hormones and antihormones

### Indications

Therapeutic equivalent to leuporelin for

Malignant neoplasms of breast

Therapeutic equivalent to leuporelin for

Malignant neoplasms of prostate

## Hydrocortisone

### Section

Hormones and antihormones

Parenteral > General injections > unspecified: 100 mg in vial (as sodium succinate)

### Indications

Lymphoid leukaemia, not elsewhere classified

Unspecified malignant neoplasms of ill-defined or unspecified sites

Burkitt lymphoma including Burkitt leukaemia

## Leuporelin

### Section

Hormones and antihormones

Parenteral > General injections > IM: 7.5 mg in prefilled syringe; 22.5 mg in prefilled syringe

### Indications

Malignant neoplasms of breast

Malignant neoplasms of prostate

## Methylprednisolone

### Section

#### Hormones and antihormones

Parenteral > General injections > IV: 40 mg per mL in 1 mL single-dose vial (as sodium succinate); 40 mg per mL in 5 mL multi-dose vial (as sodium succinate); 80 mg per mL in 1 mL single-dose vial (as sodium succinate)

### Indications

Lymphoid leukaemia, not elsewhere classified

Burkitt lymphoma including Burkitt leukaemia

## Nilutamide

### Section

#### Hormones and antihormones

### Indications

Therapeutic equivalent to bicalutamide for

Malignant neoplasms of prostate

## Prednisolone

### Section

#### Hormones and antihormones

Oral > Liquid: 5 mg per mL

Oral > Solid: 5 mg; 25 mg

### Indications

Unspecified malignant neoplasms of ill-defined or unspecified sites

Plasma cell myeloma

Follicular lymphoma

Lymphoid leukaemia, not elsewhere classified

Burkitt lymphoma including Burkitt leukaemia

Chronic lymphocytic leukaemia or small lymphocytic lymphoma

Hodgkin lymphoma

Diffuse large B-cell lymphomas

Malignant neoplasms of prostate

## Prednisone

### Section

Hormones and antihormones

### Indications

Therapeutic equivalent to prednisolone for

Plasma cell myeloma

Therapeutic equivalent to prednisolone for

Follicular lymphoma

Therapeutic equivalent to prednisolone for

Lymphoid leukaemia, not elsewhere classified

Therapeutic equivalent to prednisolone for

Burkitt lymphoma including Burkitt leukaemia

Therapeutic equivalent to prednisolone for

Chronic lymphocytic leukaemia or small lymphocytic lymphoma

Therapeutic equivalent to prednisolone for

Hodgkin lymphoma

Therapeutic equivalent to prednisolone for

Diffuse large B-cell lymphomas

Therapeutic equivalent to prednisolone for

Malignant neoplasms of prostate

## Tamoxifen

### Section

Hormones and antihormones

Oral > Solid: 10 mg (as citrate); 20 mg (as citrate)

### Indications

Other specified malignant neoplasms of breast

Malignant neoplasms of breast

## Triptorelin

### Section

Hormones and antihormones

### Indications

Therapeutic equivalent to leuprorelin for

Malignant neoplasms of breast

Therapeutic equivalent to leuprorelin for

Malignant neoplasms of prostate