

Acamprosate calcium**Section**

Medicines for alcohol use disorders

- Oral > Solid > tablet: 333 mg

Indications

Disorders due to use of alcohol

Amitriptyline**Section**

Medicines for depressive disorders

- Oral > Solid: 25 mg; 75 mg

Indications

Depressive disorders

Aripiprazole**Section**

Medicines for psychotic disorders

- Parenteral > General injections > IM: 300 mg powder and solvent for suspension; 400 mg powder and solvent for suspension

IndicationsTherapeutic equivalent to [risperidone](#) for

Schizophrenia or other primary psychotic disorders

Therapeutic equivalent to [paliperidone](#) for

Schizophrenia or other primary psychotic disorders

Brexpiprazole**Section**

Medicines for depressive disorders

- Oral > Solid > tablet: 0.25 mg; 0.5 mg; 1 mg; 2 mg; 3 mg; 4 mg

Indications

Depressive disorders

Buprenorphine**Section**

Medicines for opioid use disorders

IndicationsTherapeutic equivalent to [methadone](#) for

Opioid dependence

Bupropion**Section**

Medicines for nicotine use disorders

- Oral > Solid: 150 mg sustained-release (hydrochloride)

Indications

Nicotine dependence

Carbamazepine

Section

Medicines for bipolar disorders

- Oral > Solid > tablet: 100 mg (scored); 200 mg (scored); 400 mg

Indications

Bipolar or related disorders

Chlorpromazine

Section

Medicines for psychotic disorders

- Oral > Liquid: 25 mg per 5 mL (hydrochloride)
- Oral > Solid: 100 mg (hydrochloride)
- Oral > Solid: 100 mg (hydrochloride); 10 mg (hydrochloride); 25 mg (hydrochloride); 50 mg (hydrochloride)
- Parenteral > General injections > unspecified: 25 mg per mL in 2 mL ampoule (hydrochloride)

Indications

Therapeutic equivalent to [haloperidol](#) for

Schizophrenia or other primary psychotic disorders

Schizophrenia or other primary psychotic disorders

Clomipramine

Section

Medicines for obsessive compulsive disorders

- Oral > Solid: 10 mg (hydrochloride); 25 mg (hydrochloride)

Indications

Obsessive-compulsive disorder

Clozapine

Section

Medicines for psychotic disorders

- Oral > Solid: 25 mg; 50 mg; 100 mg; 200 mg

Indications

Schizophrenia or other primary psychotic disorders

Cytisine (cytisinicline)

Section

Medicines for nicotine use disorders

- Oral > Solid > tablet: 1.5 mg

Indications

Nicotine dependence

Diazepam

Section

Medicines for anxiety disorders

- Oral > Solid: 5 mg (scored); 2 mg (scored)

Indications

Anxiety

Fluoxetine

Section

Medicines for depressive disorders

- Oral > Solid: 20 mg (as hydrochloride)

Medicines for anxiety disorders

- Oral > Solid: 20 mg (as hydrochloride)

Medicines for obsessive compulsive disorders

- Oral > Solid: 20 mg (as hydrochloride)

Indications

Depressive disorders

Generalised anxiety disorder

Panic disorder

Social anxiety disorder

Obsessive-compulsive disorder

Fluphenazine

Section

Medicines for psychotic disorders

- Parenteral > General injections > IM: 25 mg per mL in ampoule (decanoate); 25 mg per mL in ampoule (enanthate)

Indications

Schizophrenia or other primary psychotic disorders

Haloperidol

Section

Medicines for psychotic disorders

- Parenteral > General injections > IM: 5 mg per mL in ampoule
- Oral > Solid: 2 mg; 5 mg

Indications

Schizophrenia or other primary psychotic disorders

Haloperidol decanoate

Section

Medicines for psychotic disorders

Indications

Therapeutic equivalent to [fluphenazine](#) for

Schizophrenia or other primary psychotic disorders

Lithium carbonate

Section

Medicines for bipolar disorders

- Oral > Solid: 300 mg

Indications

Bipolar or related disorders

Lorazepam

Section

Medicines for anxiety disorders

Indications

Therapeutic equivalent to [diazepam](#) for

Anxiety

Methadone

Section	Indications
Medicines for opioid use disorders ◦ Oral > Liquid: 5 mg per 5 mL (methadone hydrochloride); 10 mg per 5 mL (methadone hydrochloride); 5 mg per mL concentrate for oral liquid (methadone hydrochloride); 10 mg per mL concentrate for oral liquid (methadone hydrochloride)	Opioid dependence

Methylphenidate

Section	Indications
Medicines for mental and behavioural disorders ◦ Oral > Solid > tablet: 5 mg (hydrochloride); 10 mg (hydrochloride); 20 mg (hydrochloride); 18 mg extended-release (hydrochloride); 27 mg extended-release (hydrochloride); 36 mg extended-release (hydrochloride); 54 mg extended-release (hydrochloride); 72 mg extended-release (hydrochloride) ◦ Oral > Solid > capsule: 10 to 60 mg extended-release (hydrochloride)	Attention deficit hyperactivity disorder

Naltrexone

Section	Indications
Medicines for alcohol use disorders ◦ Parenteral > General injections > IM: 380 mg in vial (extended-release) ◦ Oral > Solid > tablet: 50 mg	Disorders due to use of alcohol

Nicotine replacement therapy

Section	Indications
Medicines for nicotine use disorders ◦ Local > Topical > Transdermal patch: 5 to 30 mg per 16 hour; 7 to 21 mg per 24 hour ◦ Oral > Solid > lozenge: 2 mg; 4 mg lozenge ◦ Local > Buccal > Oral spray: 1 mg per actuation ◦ Local > Buccal > Chewing gum: 2 mg; 4 mg	Nicotine dependence

Olanzapine

Section	Indications
Medicines for psychotic disorders ◦ Parenteral > General injections > IM: 10 mg in vial powder for injection	Therapeutic equivalent to risperidone for Schizophrenia or other primary psychotic disorders Schizophrenia or other primary psychotic disorders

Paliperidone

Section

Medicines for psychotic disorders

- Parenteral > General injections > IM: 25 mg in pre-filled syringe (as palmitate); 50 mg in pre-filled syringe (as palmitate); 75 mg in pre-filled syringe (as palmitate); 100 mg in pre-filled syringe (as palmitate); 150 mg in pre-filled syringe (as palmitate)

Indications

Therapeutic equivalent to [risperidone](#) for

Schizophrenia or other primary psychotic disorders

Schizophrenia or other primary psychotic disorders

Phenelzine

Section

Medicines for depressive disorders

- Oral > Solid > dosage form: 15 mg (as sulfate)

Indications

Other specified depressive disorders

Quetiapine

Section

Medicines for psychotic disorders

Therapeutic equivalent to [risperidone](#) for

Schizophrenia or other primary psychotic disorders

Medicines for bipolar disorders

- Oral > Solid > tablet: 25 mg (immediate-release); 100 mg (immediate-release); 150 mg (immediate-release); 200 mg (immediate-release); 300 mg (immediate-release); 50 mg (modified-release); 150 mg (modified-release); 200 mg (modified-release); 300 mg (modified-release); 400 mg (modified-release)

Bipolar or related disorders

Risperidone

Section

Medicines for psychotic disorders

- Oral > Solid: 0.25 mg; 0.5 mg; 1 mg; 2 mg; 3 mg; 4 mg; 6 mg
- Parenteral > General injections > IM:

Indications

Schizophrenia or other primary psychotic disorders

Therapeutic equivalent to [paliperidone](#) for

Schizophrenia or other primary psychotic disorders

Valproic acid (sodium valproate)

Section

Medicines for bipolar disorders

- Oral > Solid: 200 mg tablet (enteric-coated); 500 mg tablet (enteric-coated)

Indications

Bipolar or related disorders

Varenicline

Section	Indications
Medicines for nicotine use disorders ◦ Oral > Solid: 0.5 mg; 1 mg	Nicotine dependence

Zuclopenthixol decanoate

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to fluphenazine for Schizophrenia or other primary psychotic disorders