

Ceftriaxone

Section

Watch group antibiotics

- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt)
- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt)
- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt)
- Parenteral > Locoregional injections > Intravitreal: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt)
- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial

Indications

Premier choix

Other specified pneumonia (Hospital-acquired pneumonia)

Inflammatory and other diseases of prostate (severe)

Bacterial meningitis

Acute pyelonephritis (severe)

Paratyphoid fever

Gonococcal infection

Typhoid fever

Peritonitis (mild-moderate)

Peritonitis (severe)

Peritoneal abscess (mild-moderate)

Peritoneal abscess (severe)

Endophthalmitis

Bacterial pneumonia (Community-acquired pneumonia - severe)

Bacterial pneumonia (Community-acquired pneumonia - severe) [children]

co-prescrire avec metronidazole

Necrotising fasciitis

Second choix

Inflammatory and other diseases of prostate (mild to moderate)

Acute pyelonephritis (mild to moderate)

Bacterial infection of joint

Sepsis without septic shock

Osteomyelitis or osteitis

Infectious gastroenteritis or colitis without specification of infectious agent

Autres indications

Bacterial infection of unspecified site

Premier choix

Bacterial meningitis

- Parenteral > General injections > unspecified: 250 mg in vial powder for injection (as sodium salt); 500 mg in vial powder for injection (as sodium salt); 1 g in vial powder for injection (as sodium salt); 2 g in vial powder for injection (as sodium salt)