Liste modèle des médicaments essentiels

Isoniazid + pyridoxine + sulfamethoxazole + trimethoprim

Section	Indications
Medicines for prevention of HIV-related opportunistic infections ◦ Oral > Solid: 300 mg + 25 mg + 800 mg + 160 mg tablet (scored)	Other specified prophylactic measures

Sulfamethoxazole + trimethoprim

Section	Indications
Antipneumocystosis and antitoxoplasmosis medicines ◦ Parenteral > General injections > IV: 80 mg + 16 mg per mL in 5 mL ampoule; 80 mg + 16 mg per mL in 10 mL ampoule ◦ Oral > Liquid: 200 mg + 40 mg per 5 mL oral liquid ◦ Oral > Solid: 100 mg + 20 mg tablet; 400 mg + 80 mg tablet; 800 mg + 160 mg tablet ◦ Oral > Solid > dispersible tablet: 100 mg + 20 mg	Pneumocystosis
Access group antibiotics ◦ Parenteral > General injections > IV: 80 mg + 16 mg per mL in 10 mL ampoule; 80 mg + 16 mg per mL in 5 mL ampoule ◦ Oral > Liquid: 200 mg + 40 mg per 5 mL oral liquid ◦ Oral > Solid: 100 mg + 20 mg tablet; 400 mg + 80 mg tablet; 800 mg + 160 mg tablet ◦ Oral > Solid > dispersible tablet: 100 mg + 20 mg ◦ Parenteral > General injections > IV: 80 mg + 16 mg per mL in 5 mL ampoule; 80 mg + 16 mg per mL in 10 mL ampoule	**Premier choix** Infectious cystitis **Second choix** Infectious gastroenteritis or colitis without specification of infectious agent Bacterial infection of unspecified site

Trimethoprim

Section	Indications
Access group antibiotics ◦ Oral > Liquid: 50 mg per mL ◦ Oral > Solid: 100 mg; 200 mg	**Premier choix** Infectious cystitis