Liste modèle des médicaments essentiels

Cetirizine

Section	Indications
Antiallergics and medicines used in anaphylaxis	Therapeutic equivalent to loratadine pour Allergic or hypersensitivity conditions of unspecified type

Dexamethasone

Section	Indications
Antiallergics and medicines used in anaphylaxis ◦ Oral > Liquid: 0.5 mg per 5 mL (as sodium phosphate); 2 mg per 5 mL (as sodium phosphate) ◦ Parenteral > General injections > unspecified: 4 mg per mL in 1 mL ampoule dexamethasone phosphate (as sodium phosphate, equivalent to 3.3 mg/mL dexamethasone base) ◦ Oral > Solid > tablet: 0.5 mg (as dexamethasone base); 0.75 mg (as dexamethasone base); 1.5 mg (as dexamethasone base); 2 mg (as dexamethasone base); 4 mg (as dexamethasone base)	Allergic or hypersensitivity conditions of unspecified type

Epinephrine

Section	Indications
Antiallergics and medicines used in anaphylaxis ◦ Parenteral > General injections > unspecified: 1 mg in 1 mL ampoule (as hydrochloride or hydrogen tartrate)	Anaphylaxis

Fexofenadine

Section	Indications
Antiallergics and medicines used in anaphylaxis	Therapeutic equivalent to loratadine pour Allergic or hypersensitivity conditions of unspecified type

Hydrocortisone

Section	Indications
Antiallergics and medicines used in anaphylaxis ◦ Parenteral > General injections > unspecified: 100 mg in vial powder for injection (as sodium succinate)	Anaphylaxis

Loratadine

Section	Indications
Antiallergics and medicines used in anaphylaxis ◦ Oral > Liquid: 1 mg per mL ◦ Oral > Solid > tablet: 10 mg; 5 mg (chewable); 10 mg (chewable)	Allergic or hypersensitivity conditions of unspecified type

Prednisolone

Section	Indications
Antiallergics and medicines used in anaphylaxis ◦ Oral > Liquid: 5 mg per mL ◦ Oral > Solid: 5 mg; 25 mg	Allergic or hypersensitivity conditions of unspecified type

Prednisone

Section	Indications
Antiallergics and medicines used in anaphylaxis	Therapeutic equivalent to prednisolone pour Allergic or hypersensitivity conditions of unspecified type