Liste modèle des médicaments essentiels

Albendazole

Section	Indications
Intestinal anthelminthics ◦ Oral > Solid > tablet: 400 mg (chewable, scored)	Echinococcosis Cysticercosis Hookworm diseases Trichuriasis Ascariasis Enterobiasis
Cysticidal medicines ◦ Oral > Solid > tablet: 400 mg (chewable, scored); 200 mg (chewable)	Other specified echinococcosis Cysticercosis of central nervous system
Antifilarials ◦ Oral > Solid > tablet: 400 mg (chewable, scored)	Lymphatic filariasis

Arpraziquantel

Section	Indications
Antischistosomals and other antitrematode medicines ◦ Oral > Solid > dispersible tablet: 150 mg	Therapeutic equivalent to praziquantel pour Schistosomiasis

Diethylcarbamazine

Section	Indications
Antifilarials ◦ Oral > Solid: 50 mg tablet (dihydrogen citrate); 100 mg tablet (dihydrogen citrate)	Lymphatic filariasis

Ivermectin

Section	Indications
Intestinal anthelminthics ◦ Oral > Solid > tablet: 3 mg	Hookworm diseases Strongyloidiasis Trichuriasis Ancylostomiasis Ascariasis
Antifilarials ◦ Oral > Solid > tablet: 3 mg	Lymphatic filariasis Onchocerciasis

Levamisole

Section	Indications
Intestinal anthelminthics ◦ Oral > Solid > tablet: 50 mg (as hydrochloride); 150 mg (as hydrochloride)	Ascariasis

Mebendazole

Section	Indications
Intestinal anthelminthics ◦ Oral > Solid > tablet: 100 mg (chewable); 500 mg (chewable)	Hookworm diseases Trichuriasis Ascariasis Enterobiasis
Cysticidal medicines ◦ Oral > Solid > tablet: 100 mg (chewable); 500 mg (chewable)	Other specified echinococcosis

Moxidectin

Section	Indications
Antifilarials ◦ Oral > Solid > tablet: 2 mg	Therapeutic equivalent to ivermectin pour Lymphatic filariasis Therapeutic equivalent to ivermectin pour Onchocerciasis

Niclosamide

Section	Indications
Intestinal anthelminthics ◦ Oral > Solid: 500 mg tablet (chewable)	Hymenolepiasis Diphyllobothriasis Taeniasis due to Taenia saginata Taeniasis due to Taenia solium

Oxamniquine

Section	Indications
Antischistosomals and other antitrematode medicines ◦ Oral > Liquid: 250 mg per 5 mL ◦ Oral > Solid > capsule: 250 mg	Schistosomiasis due to Schistosoma mansoni

Praziquantel

Section	Indications
Cysticidal medicines ◦ Oral > Solid > tablet: 600 mg (scored); 500 mg; 150 mg	Cysticercosis of central nervous system
Antischistosomals and other antitrematode medicines ◦ Oral > Solid > tablet: 600 mg (scored); 500 mg; 150 mg	Paragonimiasis Clonorchiasis Opisthorchiasis Schistosomiasis
Intestinal anthelminthics ◦ Oral > Solid > tablet: 600 mg (scored); 500 mg; 150 mg	Diphyllobothriasis Taeniasis due to Taenia saginata Hymenolepiasis Taeniasis due to Taenia solium

Pyrantel

Section	Indications
Intestinal anthelminthics ◦ Oral > Solid > tablet: 250 mg (chewable) (as embonate or pamoate)	Hookworm diseases Trichuriasis Ascariasis Enterobiasis

Suramin sodium

Section	Indications
Antifilarials ◦ Parenteral > General injections > IV: 1 g in vial	Filariasis

Triclabendazole

Section	Indications
Antischistosomals and other antitrematode medicines ◦ Oral > Solid > tablet: 250 mg (scored)	Paragonimiasis Fascioliasis