

Acetazolamide**Section**

Ophthalmological preparations > Miotics and antiglaucoma medicines

- Oral > Solid: 250 mg

Indications

Primary open-angle glaucoma

Aciclovir**Section**

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Ointment: 3% w/w

Indications

Herpes simplex keratitis

Amikacin**Section**

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin](#) pour

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) pour

Infectious blepharitis

Atropine**Section**

Ophthalmological preparations > Mydriatics

- Local > Ophthalmological > Solution (eye drops): 0.1% (sulfate); 0.5% (sulfate); 1% (sulfate)

Indications

Anterior uveitis

Azithromycin**Section**

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Solution (eye drops): 1.5% eye drops

Indications

Trachoma

Bevacizumab**Section**

Ophthalmological preparations > Anti-vascular endothelial growth factor (VEGF) preparations

- Parenteral > Locoregional injections > Intravitreal: 25 mg per mL

Indications

Age-related macular degeneration

Carbachol

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines

Indications

Therapeutic equivalent to [pilocarpine](#) pour

Acute angle closure with pupillary block

Therapeutic equivalent to [pilocarpine](#) pour

Ocular hypertension

Therapeutic equivalent to [pilocarpine](#) pour

Primary open-angle glaucoma

Carmellose

Section

Ophthalmological preparations

Indications

Therapeutic equivalent to [hypromellose](#) pour

Keratoconjunctivitis sicca

Chlortetracycline

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [tetracycline](#) pour

Other specified conjunctivitis

Therapeutic equivalent to [tetracycline](#) pour

Infectious keratitis

Therapeutic equivalent to [tetracycline](#) pour

Infectious blepharitis

Therapeutic equivalent to [tetracycline](#) pour

Trachoma

Cyclopentolate

Section

Ophthalmological preparations > Mydriatics

Indications

Therapeutic equivalent to [atropine](#) pour

Anterior uveitis

Epinephrine

Section

Ophthalmological preparations > Mydriatics

- Local > Ophthalmological > Solution (eye drops): 2% (as hydrochloride)

Indications

Primary open-angle glaucoma

Erythromycin

Section

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Ointment: 0.5%

Indications

Chlamydial conjunctivitis

Gonococcal infection of eye

Gentamicin

Section

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Solution (eye drops): 0.3% (gentamicin sulfate)

Indications

Other specified conjunctivitis

Infectious blepharitis

Homatropine

Section

Ophthalmological preparations > Mydriatics

- Local > Ophthalmological > Solution (eye drops): 2% (hydrobromide)

Indications

Anterior uveitis

Therapeutic equivalent to [atropine](#) pour

Anterior uveitis

Hydrocortisone

Section

Ophthalmological preparations > Anti-inflammatory agents

- Local > Ophthalmological > Ointment: 1% (acetate)

Indications

Scleritis

Anterior uveitis

Hypromellose

Section

Ophthalmological preparations

- Local > Ophthalmological > Solution (eye drops): 0.3%

Indications

Keratoconjunctivitis sicca

Idoxuridine

Section

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Solution (eye drops): 0.1%
- Local > Ophthalmological > Ointment: 0.2%

Indications

Herpes simplex keratitis

Kanamycin

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin](#) pour

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) pour

Infectious blepharitis

Latanoprost

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines

- Local > Ophthalmological > Solution (eye drops): 50 µg per mL eye drops

Indications

Primary open-angle glaucoma

Natamycin

Section

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Suspension: 5% eye drops

Indications

Infectious keratitis

Netilmicin

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin](#) pour

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) pour

Infectious blepharitis

Ofloxacin

Section

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Solution (eye drops): 0.3%

Indications

Other specified conjunctivitis

Infectious keratitis

Oxytetracycline

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [tetracycline](#) pour

Other specified conjunctivitis

Therapeutic equivalent to [tetracycline](#) pour

Infectious keratitis

Therapeutic equivalent to [tetracycline](#) pour

Infectious blepharitis

Therapeutic equivalent to [tetracycline](#) pour

Trachoma

Pilocarpine

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines

- Local > Ophthalmological > Solution (eye drops): 2% (hydrochloride or nitrate); 4% (hydrochloride or nitrate)

Indications

Acute angle closure with pupillary block

Ocular hypertension

Primary open-angle glaucoma

Prednisolone

Section

Ophthalmological preparations > Anti-inflammatory agents

- Local > Ophthalmological > Solution (eye drops): 0.5% (sodium phosphate)

Indications

Scleritis

Anterior uveitis

Ranibizumab

Section

Ophthalmological preparations > Anti-vascular endothelial growth factor (VEGF) preparations

- .

Indications

Retinal venous occlusions

Diabetic macular oedema

Degenerative high myopia

Age-related macular degeneration

Silver nitrate

Section

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Solution (eye drops): 1%

Indications

Neonatal conjunctivitis or dacryocystitis

Sodium hyaluronate

Section

Ophthalmological preparations

Indications

Therapeutic equivalent to [hypromellose](#) pour

Keratoconjunctivitis sicca

Sulfacetamide

Section

Ophthalmological preparations > Anti-infective agents
◦ Local > Ophthalmological > Ointment: 10% (sodium salt)

Indications

Other specified conjunctivitis

Tetracaine

Section

Ophthalmological preparations > Local anaesthetics
◦ Local > Ophthalmological > Solution (eye drops): 0.5% (hydrochloride)

Indications

Local anaesthetics

Tetracycline

Section

Ophthalmological preparations > Anti-infective agents
◦ Local > Ophthalmological > Ointment: 1% (tetracycline hydrochloride)

Indications

Neonatal conjunctivitis or dacryocystitis

Other specified conjunctivitis

Infectious keratitis

Infectious blepharitis

Trachoma

Timolol

Section

Ophthalmological preparations > Miotics and antiglaucoma medicines
◦ Local > Ophthalmological > Solution (eye drops): 0.25% (hydrogen maleate); 0.5% (hydrogen maleate)

Indications

Ocular hypertension

Primary open-angle glaucoma

Tobramycin

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin](#) pour

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) pour

Infectious blepharitis