

Beinaglutide**Section**

Hypoglycaemic agents

IndicationsTherapeutic equivalent to [semaglutide](#) pour

Obesity

Canagliflozin**Section**

Hypoglycaemic agents

IndicationsTherapeutic equivalent to [empagliflozin](#) pour

Type 2 diabetes mellitus

Dapagliflozin**Section**

Hypoglycaemic agents

IndicationsTherapeutic equivalent to [empagliflozin](#) pour

Type 2 diabetes mellitus

Dulaglutide**Section**

Hypoglycaemic agents

IndicationsTherapeutic equivalent to [semaglutide](#) pour

Obesity

Therapeutic equivalent to [semaglutide](#) pour

Type 2 diabetes mellitus

Empagliflozin**Section**

Hypoglycaemic agents

- Oral > Solid: 10 mg; 25 mg

Indications

Type 2 diabetes mellitus

Exenatide**Section**

Hypoglycaemic agents

IndicationsTherapeutic equivalent to [semaglutide](#) pour

Obesity

Glibenclamide

Section

Hypoglycaemic agents

- Oral > Solid: 5 mg; 2.5 mg

Indications

Type 2 diabetes mellitus

Gliclazide

Section

Hypoglycaemic agents

- Oral > Solid: 30 mg controlled-release; 60 mg controlled-release; 80 mg controlled-release

Indications

Type 2 diabetes mellitus

Liraglutide

Section

Hypoglycaemic agents

Indications

Therapeutic equivalent to [semaglutide](#) pour

Obesity

Therapeutic equivalent to [semaglutide](#) pour

Type 2 diabetes mellitus

Metformin

Section

Hypoglycaemic agents

- Oral > Solid: 500 mg (hydrochloride)

Indications

Type 2 diabetes mellitus

Semaglutide

Section

Hypoglycaemic agents

- Parenteral > General injections > SC: 0.25 mg in pre-filled pen injection solution; 0.5 mg in pre-filled pen injection solution; 1 mg in pre-filled pen injection solution; 2 mg in pre-filled pen injection solution; 4 mg in pre-filled pen injection solution
- Oral > Solid > tablet: 3 mg
- Parenteral > General injections > SC: 0.68 mg per mL; 1.34 mg per mL; 2.68 mg per mL

Indications

Obesity

Type 2 diabetes mellitus

Tirzepatide

Section

Hypoglycaemic agents

Indications

Therapeutic equivalent to [semaglutide](#) pour

Obesity

Therapeutic equivalent to [semaglutide](#) pour

Type 2 diabetes mellitus

Tolbutamide

Section

Hypoglycaemic agents

- Oral > Solid: 500 mg

Indications

Type 2 diabetes mellitus