Liste modèle des médicaments essentiels

Condoms

Section	Indications
Barrier methods ◦ -	Contact with health services for contraceptive management

Copper-containing intrauterine device

Section	Indications
Intrauterine devices ◦ -	Contact with health services for insertion of contraceptive device

Diaphragms

Section	Indications
Barrier methods ◦ -	Contact with health services for contraceptive management

Estradiol cypionate + medroxyprogesterone acetate

Section	Indications
Injectable hormonal contraceptives ◦ Parenteral > General injections > IM: 5 mg + 25 mg	Contact with health services for reasons associated with reproduction

Ethinylestradiol + etonogestrel

Section	Indications
Intravaginal contraceptives ◦ Local > Vaginal > vaginal ring: 2.7 mg + 11.7 mg	Contact with health services for contraceptive management

Ethinylestradiol + levonorgestrel

Section	Indications
Oral hormonal contraceptives ◦ Oral > Solid: 50 µg + 250 µg [4] ◦ Oral > Solid: 30 µg + 150 µg	Contact with health services for postcoital contraception Contact with health services for contraceptive management

Ethinylestradiol + norethisterone

Section	Indications
Oral hormonal contraceptives ◦ Oral > Solid: 35 µg + 1 mg	Contact with health services for contraceptive management

Etonogestrel-releasing implant

Section	Indications
Implantable contraceptives ◦ Implant > Subdermal: 68 mg single rod	Contact with health services for insertion of contraceptive device

Levonorgestrel

Section	Indications
Oral hormonal contraceptives ◦ Oral > Solid: 750 µg [2]; 1.5 mg [1] ◦ Oral > Solid: 30 µg	Contact with health services for postcoital contraception Contact with health services for contraceptive management
Intrauterine devices ◦ Intrauterine system with reservoir containing 52 mg of levonorgestrel.	Contact with health services for insertion of contraceptive device

Levonorgestrel-releasing implant

Section	Indications
Implantable contraceptives ◦ Implant > Subdermal: 75 mg per rod (two-rods)	Contact with health services for insertion of contraceptive device

Medroxyprogesterone acetate

Section	Indications
Injectable hormonal contraceptives ◦ Parenteral > General injections > IM: 150 mg per mL in 1 mL vial ◦ Parenteral > General injections > SC: 104 mg per 0.65 mL in pre-filled syringe; 104 mg per 0.65 mL in single dose injection delivery system	Contact with health services for reasons associated with reproduction

Norethisterone

Section	Indications
Oral hormonal contraceptives ◦ Oral > Solid: 350 µg	Contact with health services for contraceptive management

Norethisterone enantate

Section	Indications
Injectable hormonal contraceptives ◦ Parenteral > General injections > IM: 200 mg per mL in 1 mL ampoule oily solution	Contact with health services for reasons associated with reproduction

Progesterone vaginal ring

Section	Indications
Intravaginal contraceptives ◦ Local > Vaginal > vaginal ring: 2.074 g micronized progesterone	Contact with health services for contraceptive management

Ulipristal

Section	Indications
Oral hormonal contraceptives ◦ Oral > Solid: 30 mg tablet (ulipristal acetate)	Contact with health services for postcoital contraception