Model List of Essential Medicines

Doxycycline

Section	Indications
Access group antibiotics ◦ Oral > Liquid: 25 mg per 5 mL powder for oral liquid (monohydrate); 50 mg per 5 mL (calcium) ◦ Parenteral > General injections > unspecified: 100 mg in vial powder for injection ◦ Oral > Solid > dispersible tablet: 100 mg (as monohydrate) ◦ Oral > Solid > dosage form: 50 mg (as hyclate); 100 mg (as hyclate) ◦ Oral > Solid > dosage form: 100 mg (as hyclate) ◦ Oral > Liquid: 25 mg per 5 mL (anhydrous); 50 mg per 5 mL (anhydrous) ◦ Oral > Solid: 100 mg (as hyclate); 50 mg (as hyclate)	**First choice** Cholera Chlamydia trachomatis **Second choice** Bacterial pneumonia (Community-acquired pneumonia - mild to moderate) Cholera [children] Chronic obstructive pulmonary disease with acute exacerbation **Other indications** Bacterial infection of unspecified site
Antimalarial medicines > Medicines for chemoprophylaxis in travellers ◦ Oral > Liquid: 50 mg per 5 mL (calcium); 25 mg per 5 mL (monohydrate) powder for oral liquid ◦ Oral > Solid > dispersible tablet: 100 mg (as monohydrate) ◦ Oral > Solid > dosage form: 50 mg (as hyclate); 100 mg (as hyclate)	Malaria due to Plasmodium falciparum
Antimalarial medicines > Medicines for curative treatment ◦ Oral > Solid: 100 mg (hydrochloride or hyclate); 100 mg dispersible tablet (as monohydrate)	Malaria due to Plasmodium falciparum
Antimalarial medicines > Medicines for chemoprevention ◦ Oral > Solid: 100 mg (hydrochloride or hyclate)	Malaria due to Plasmodium falciparum