

Albendazole

Section	Indications
Intestinal anthelmintics Oral > Solid > tablet: 400 mg (chewable, scored)	Echinococcosis Cysticercosis Hookworm diseases Trichuriasis Ascariasis Enterobiasis
Cysticidal medicines Oral > Solid > tablet: 400 mg (chewable, scored); 200 mg (chewable)	Other specified echinococcosis Cysticercosis of central nervous system
Antifilarials Oral > Solid > tablet: 400 mg (chewable, scored)	Lymphatic filariasis

Arpraziquantel

Section	Indications
Antischistosomes and other antitremitode medicines Oral > Solid > dispersible tablet: 150 mg	Therapeutic equivalent to praziquantel for Schistosomiasis

Diethylcarbamazine

Section	Indications
Antifilarials Oral > Solid: 50 mg tablet (dihydrogen citrate); 100 mg tablet (dihydrogen citrate)	Lymphatic filariasis

Ivermectin

Section	Indications
Intestinal anthelminthics ◦ Oral > Solid > tablet: 3 mg	Hookworm diseases Strongyloidiasis Trichuriasis Ancylostomiasis Ascariasis
Antifilarials ◦ Oral > Solid > tablet: 3 mg	Lymphatic filariasis Onchocerciasis

Levamisole

Section	Indications
Intestinal anthelminthics ◦ Oral > Solid > tablet: 50 mg (as hydrochloride); 150 mg (as hydrochloride)	Ascariasis

Mebendazole

Section	Indications
Intestinal anthelminthics ◦ Oral > Solid > tablet: 100 mg (chewable); 500 mg (chewable)	Hookworm diseases Trichuriasis Ascariasis Enterobiasis
Cysticidal medicines ◦ Oral > Solid > tablet: 100 mg (chewable); 500 mg (chewable)	Other specified echinococcosis

Moxidectin

Section	Indications
Antifilarials ◦ Oral > Solid > tablet: 2 mg	Therapeutic equivalent to ivermectin for Lymphatic filariasis Therapeutic equivalent to ivermectin for Onchocerciasis

Niclosamide

Section

Intestinal anthelminthics

- Oral > Solid: 500 mg tablet (chewable)

Indications

Hymenolepiasis

Diphyllobothriasis

Taeniasis due to *Taenia saginata*

Taeniasis due to *Taenia solium*

Oxamniquine

Section

Antischistosomes and other antitremitode medicines

- Oral > Liquid: 250 mg per 5 mL
- Oral > Solid > capsule: 250 mg

Indications

Schistosomiasis due to *Schistosoma mansoni*

Praziquantel

Section

Cysticidal medicines

- Oral > Solid > tablet: 600 mg (scored); 500 mg; 150 mg

Antischistosomes and other antitremitode medicines

- Oral > Solid > tablet: 600 mg (scored); 500 mg; 150 mg

Intestinal anthelminthics

- Oral > Solid > tablet: 600 mg (scored); 500 mg; 150 mg

Indications

Cysticercosis of central nervous system

Paragonimiasis

Clonorchiasis

Opisthorchiasis

Schistosomiasis

Diphyllobothriasis

Taeniasis due to *Taenia saginata*

Hymenolepiasis

Taeniasis due to *Taenia solium*

Pyrantel

Section

Intestinal anthelminthics

- Oral > Solid > tablet: 250 mg (chewable) (as embonate or pamoate)

Indications

Hookworm diseases

Trichuriasis

Ascariasis

Enterobiasis

Suramin sodium

Section

Antifilarials

- Parenteral > General injections > IV: 1 g in vial

Indications

Filariasis

Triclabendazole

Section

Antischistosomes and other antitremitode medicines

- Oral > Solid > tablet: 250 mg (scored)

Indications

Paragonimiasis

Fascioliasis