Model List of Essential Medicines

Amphotericin B

Section	Indications
Antifungal medicines ◦ Parenteral > General injections > IV: 50 mg in vial powder for injection (liposomal complex); 50 mg in vial powder for injection (as sodium deoxycholate)	Candidosis Blastomycosis Cryptococcosis Coccidioidomycosis Aspergillosis Sporotrichosis Histoplasmosis

Anidulafungin

Section	Indications
Antifungal medicines	Therapeutic equivalent to micafungin for Systemic or invasive candidosis

Caspofungin

Section	Indications
Antifungal medicines	Therapeutic equivalent to micafungin for Systemic or invasive candidosis

Clotrimazole

Section	Indications
Antifungal medicines ◦ Local > Topical > Other: 1% vaginal cream; 10% vaginal cream; 100 mg vaginal tablet; 500 mg vaginal tablet	Vulvovaginal candidosis

Fluconazole

Section	Indications
Antifungal medicines ◦ Parenteral > General injections > IV: 2 mg per mL in vial ◦ Oral > Liquid: 50 mg per 5 mL; 50 mg per 5 mL powder for oral liquid ◦ Oral > Solid > capsule: 50 mg	Cryptococcosis Candidosis

Flucytosine

Section	Indications
Antifungal medicines ◦ Parenteral > General injections > IV: 2.5 g per 250 mL infusion ◦ Oral > Solid: 250 mg capsule	Cryptococcosis

Griseofulvin

Section	Indications
Antifungal medicines ◦ Oral > Liquid: 125 mg per 5 mL ◦ Oral > Solid: 125 mg; 250 mg	Dermatophytosis

Itraconazole

Section	Indications
Antifungal medicines ◦ Oral > Liquid: 10 mg per mL ◦ Oral > Solid: 100 mg	Chronic pulmonary aspergillosis Paracoccidioidomycosis Sporotrichosis Histoplasmosis Talaromycosis Chromoblastomycosis

Micafungin

Section	Indications
Antifungal medicines ◦ Parenteral > General injections > IV: 50 mg in vial (as sodium) powder for injection; 100 mg in vial (as sodium) powder for injection	Systemic or invasive candidosis

Nystatin

Section	Indications
Antifungal medicines ◦ Oral > Liquid: 100000 IU per mL ◦ Local > Topical > Other: 100000 IU pessary ◦ Oral > Solid > dosage form: 500000 IU ◦ Oral > Solid > lozenge: 100000 IU	Candidosis

Potassium iodide

Section	Indications
Antifungal medicines ◦ Local > Topical > Solution: Saturated solution	Sporotrichosis

Voriconazole

Section	Indications
Antifungal medicines ◦ Parenteral > General injections > IV: 200 mg in vial powder for injection ◦ Oral > Liquid: 40 mg per mL powder for oral liquid ◦ Oral > Solid: 50 mg tablet; 200 mg tablet	Chronic pulmonary aspergillosis Invasive aspergillosis