Model List of Essential Medicines

Benznidazole

Section	Indications
American trypanosomiasis ◦ Oral > Solid > tablet: 100 mg (scored); 50 mg (scored); 12.5 mg	Chagas disease

Eflornithine

Section	Indications
Medicines for the treatment of 2nd stage African trypanosomiasis ◦ Parenteral > General injections > IV: 200 mg per mL in 50 mL bottle (hydrochloride)	Gambiense trypanosomiasis

Fexinidazole

Section	Indications
Medicines for the treatment of 1st stage African trypanosomiasis ◦ Oral > Solid > tablet: 600 mg ◦ Oral > Solid: 600 mg	Rhodesiense trypanosomiasis Gambiense trypanosomiasis
Medicines for the treatment of 2nd stage African trypanosomiasis ◦ Oral > Solid > tablet: 600 mg ◦ Oral > Solid: 600 mg	Rhodesiense trypanosomiasis Gambiense trypanosomiasis

Melarsoprol

Section	Indications
Medicines for the treatment of 2nd stage African trypanosomiasis ◦ Parenteral > General injections > IV: 3.6% in 5 mL ampoule solution (180 mg of active compound)	Gambiense trypanosomiasis Rhodesiense trypanosomiasis

Nifurtimox

Section	Indications
American trypanosomiasis ◦ Oral > Solid > tablet: 30 mg (scored); 120 mg (scored)	Chagas disease
Medicines for the treatment of 2nd stage African trypanosomiasis ◦ Oral > Solid > tablet: 30 mg (scored); 120 mg (scored)	Gambiense trypanosomiasis

Pentamidine

Section	Indications
Medicines for the treatment of 1st stage African trypanosomiasis ◦ Parenteral > General injections > IM: 300 mg in vial (as isetionate) powder for injection	Gambiense trypanosomiasis

Suramin sodium

Section	Indications
Medicines for the treatment of 1st stage African trypanosomiasis ◦ Parenteral > General injections > IV: 1 g in vial	Rhodesiense trypanosomiasis