

Bisoprolol**Section**

Medicines used in heart failure

- Oral > Solid: 1.25 mg; 5 mg

Indications

Heart failure

Bumetanide**Section**

Medicines used in heart failure

IndicationsTherapeutic equivalent to [furosemide](#) for

Heart failure

Captopril**Section**

Medicines used in heart failure

- Oral > Solid: 25 mg

Indications

Heart failure

Carvedilol**Section**

Medicines used in heart failure

IndicationsTherapeutic equivalent to [bisoprolol](#) for

Heart failure

Chlorothiazide**Section**

Medicines used in heart failure

IndicationsTherapeutic equivalent to [hydrochlorothiazide](#) for

Heart failure

Chlortalidone**Section**

Medicines used in heart failure

IndicationsTherapeutic equivalent to [hydrochlorothiazide](#) for

Heart failure

Digitoxin

Section

Medicines used in heart failure

- Parenteral > General injections > IV: 0.2 mg in 1 mL ampoule
- Oral > Solid: 50 µg; 100 µg

Indications

Heart failure

Digoxin

Section

Medicines used in heart failure

- Parenteral > General injections > IV: 250 µg per mL in 2 mL ampoule; 100 µg per mL in 1 mL ampoule
- Oral > Liquid: 50 µg per mL
- Oral > Solid > tablet: 62.5 µg; 250 µg; 125 µg

Indications

Heart failure

Dopamine

Section

Medicines used in heart failure

- Parenteral > General injections > IV: 40 mg per mL in 5 mL vial (hydrochloride)

Indications

Cardiogenic shock

Heart failure

Enalapril

Section

Medicines used in heart failure

- Oral > Solid > tablet: 2.5 mg (as hydrogen maleate); 5 mg (as hydrogen maleate); 10 mg (as hydrogen maleate)

Indications

Heart failure

Furosemide

Section

Medicines used in heart failure

- Parenteral > General injections > IV: 10 mg per mL in 2 mL ampoule; 10 mg per mL in 5 mL ampoule
- Oral > Liquid: 20 mg per 5 mL; 50 mg per 5 mL
- Oral > Solid > tablet: 40 mg; 20 mg

Indications

Heart failure

Hydrochlorothiazide

Section

Medicines used in heart failure

- Oral > Liquid: 50 mg per 5 mL
- Oral > Solid: 25 mg

Indications

Heart failure

Indapamide

Section

Medicines used in heart failure

Indications

Therapeutic equivalent to [hydrochlorothiazide](#) for

Heart failure

Losartan

Section

Medicines used in heart failure

- Oral > Solid: 25 mg tablet; 50 mg tablet; 100 mg tablet

Indications

Heart failure

Metoprolol

Section

Medicines used in heart failure

Indications

Therapeutic equivalent to [bisoprolol](#) for

Heart failure

Spironolactone

Section

Medicines used in heart failure

- Oral > Solid > tablet: 25 mg

Indications

Heart failure

Torsemide

Section

Medicines used in heart failure

Indications

Therapeutic equivalent to [furosemide](#) for

Heart failure