

Aciclovir**Section**

Ophthalmological preparations > Anti-infective agents
◦ Local > Ophthalmological > Ointment: 3% w/w

Indications

Herpes simplex keratitis

Amikacin**Section**

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin](#) for

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) for

Infectious blepharitis

Azithromycin**Section**

Ophthalmological preparations > Anti-infective agents
◦ Local > Ophthalmological > Solution (eye drops): 1.5% eye drops

Indications

Trachoma

Chlortetracycline**Section**

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [tetracycline](#) for

Other specified conjunctivitis

Therapeutic equivalent to [tetracycline](#) for

Infectious keratitis

Therapeutic equivalent to [tetracycline](#) for

Infectious blepharitis

Therapeutic equivalent to [tetracycline](#) for

Trachoma

Erythromycin

Section

Ophthalmological preparations > Anti-infective agents
◦ Local > Ophthalmological > Ointment: 0.5%

Indications

Chlamydial conjunctivitis

Gonococcal infection of eye

Gentamicin

Section

Ophthalmological preparations > Anti-infective agents
◦ Local > Ophthalmological > Solution (eye drops): 0.3% (gentamicin sulfate)

Indications

Other specified conjunctivitis

Infectious blepharitis

Idoxuridine

Section

Ophthalmological preparations > Anti-infective agents
◦ Local > Ophthalmological > Solution (eye drops): 0.1%
◦ Local > Ophthalmological > Ointment: 0.2%

Indications

Herpes simplex keratitis

Kanamycin

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin](#) for

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) for

Infectious blepharitis

Natamycin

Section

Ophthalmological preparations > Anti-infective agents
◦ Local > Ophthalmological > Suspension: 5% eye drops

Indications

Infectious keratitis

Netilmicin

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin](#) for

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) for

Infectious blepharitis

Ofloxacin

Section

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Solution (eye drops): 0.3%

Indications

Other specified conjunctivitis

Infectious keratitis

Oxytetracycline

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [tetracycline](#) for

Other specified conjunctivitis

Therapeutic equivalent to [tetracycline](#) for

Infectious keratitis

Therapeutic equivalent to [tetracycline](#) for

Infectious blepharitis

Therapeutic equivalent to [tetracycline](#) for

Trachoma

Silver nitrate

Section

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Solution (eye drops): 1%

Indications

Neonatal conjunctivitis or dacryocystitis

Sulfacetamide

Section

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Ointment: 10% (sodium salt)

Indications

Other specified conjunctivitis

Tetracycline

Section

Ophthalmological preparations > Anti-infective agents

- Local > Ophthalmological > Ointment: 1% (tetracycline hydrochloride)

Indications

Neonatal conjunctivitis or dacryocystitis

Other specified conjunctivitis

Infectious keratitis

Infectious blepharitis

Trachoma

Tobramycin

Section

Ophthalmological preparations > Anti-infective agents

Indications

Therapeutic equivalent to [gentamicin](#) for

Other specified conjunctivitis

Therapeutic equivalent to [gentamicin](#) for

Infectious blepharitis