Acamprosate calcium

Section	Indications
Medicines for alcohol use disorders - Oral > Solid > tablet: 333 mg	Disorders due to use of alcohol

Amitriptyline

Section	Indications
Medicines for depressive disorders - Oral > Solid: 25 mg; 75 mg	Depressive disorders

Aripiprazole

Section	Indications
Medicines for psychotic disorders - Parenteral > General injections > IM: 300 mg powder and solvent for suspension; 400 mg powder and solvent for suspension	Therapeutic equivalent to risperidone for Schizophrenia or other primary psychotic disorders Therapeutic equivalent to paliperidone for Schizophrenia or other primary psychotic disorders

Brexpiprazole

Section	Indications
Medicines for depressive disorders - Oral > Solid > tablet: 0.25 mg; 0.5 mg; 1 mg; 2 mg; 3 mg; 4 mg	Depressive disorders

Buprenorphine

Section	Indications
Medicines for opioid use disorders	Therapeutic equivalent to methadone for Opioid dependence

Bupropion

Section	Indications
Medicines for nicotine use disorders - Oral > Solid: 150 mg sustained-release (hydrochloride)	Nicotine dependence

Carbamazepine

Section	Indications
Medicines for bipolar disorders - Oral > Solid > tablet: 100 mg (scored); 200 mg (scored); 400 mg	Bipolar or related disorders

Chlorpromazine

Section	Indications
Medicines for psychotic disorders - Oral > Liquid: 25 mg per 5 mL (hydrochloride) - Oral > Solid: 100 mg (hydrochloride) - Oral > Solid: 100 mg (hydrochloride); 10 mg (hydrochloride); 25 mg (hydrochloride); 50 mg (hydrochloride) - Parenteral > General injections > unspecified: 25 mg per mL in 2 mL ampoule (hydrochloride)	Therapeutic equivalent to haloperidol for Schizophrenia or other primary psychotic disorders Schizophrenia or other primary psychotic disorders

Citalopram

Section	Indications
Medicines for anxiety disorders	Therapeutic equivalent to fluoxetine for Generalised anxiety disorder

Clomipramine

Section	Indications
Medicines for obsessive compulsive disorders - Oral > Solid: 10 mg (hydrochloride); 25 mg (hydrochloride)	Obsessive-compulsive disorder

Clozapine

Section	Indications
Medicines for psychotic disorders - Oral > Solid: 25 mg; 50 mg; 100 mg; 200 mg	Schizophrenia or other primary psychotic disorders

Cytisine (cytisinicline)

Section	Indications
Medicines for nicotine use disorders - Oral > Solid > tablet: 1.5 mg	Nicotine dependence

Diazepam

Section	Indications
Medicines for anxiety disorders - Oral > Solid: 5 mg (scored); 2 mg (scored)	Anxiety

Escitalopram

Section	Indications
Medicines for anxiety disorders	Therapeutic equivalent to fluoxetine for Generalised anxiety disorder

Fluoxetine

Section	Indications
Medicines for depressive disorders - Oral > Solid: 20 mg (as hydrochloride)	Depressive disorders
Medicines for anxiety disorders - Oral > Solid: 20 mg (as hydrochloride)	Generalised anxiety disorder Social anxiety disorder Panic disorder
Medicines for obsessive compulsive disorders - Oral > Solid: 20 mg (as hydrochloride)	Obsessive-compulsive disorder

Fluphenazine

Section	Indications
Medicines for psychotic disorders - Parenteral > General injections > IM: 25 mg per mL in ampoule (decanoate); 25 mg per mL in ampoule (enanthate)	Schizophrenia or other primary psychotic disorders

Fluvoxamine

Section	Indications
Medicines for anxiety disorders	Therapeutic equivalent to fluoxetine for Generalised anxiety disorder

Haloperidol

Section	Indications
Medicines for psychotic disorders - Parenteral > General injections > IM: 5 mg per mL in ampoule - Oral > Solid: 2 mg; 5 mg	Schizophrenia or other primary psychotic disorders

Haloperidol decanoate

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to fluphenazine for Schizophrenia or other primary psychotic disorders

Lithium carbonate

Section	Indications
Medicines for bipolar disorders ◦ Oral > Solid: 300 mg	Bipolar or related disorders

Lorazepam

Section	Indications
Medicines for anxiety disorders	Therapeutic equivalent to diazepam for Anxiety

Methadone

Section	Indications
Medicines for opioid use disorders ◦ Oral > Liquid: 5 mg per 5 mL (methadone hydrochloride); 10 mg per 5 mL (methadone hydrochloride); 5 mg per mL concentrate for oral liquid (methadone hydrochloride); 10 mg per mL concentrate for oral liquid (methadone hydrochloride)	Opioid dependence

Methylphenidate

Section	Indications
Medicines for mental and behavioural disorders ◦ Oral > Solid > tablet: 5 mg (hydrochloride); 10 mg (hydrochloride); 20 mg (hydrochloride); 18 mg extended-release (hydrochloride); 27 mg extended-release (hydrochloride); 36 mg extended-release (hydrochloride); 54 mg extended-release (hydrochloride); 72 mg extended-release (hydrochloride) ◦ Oral > Solid > capsule: 10 to 60 mg extended-release (hydrochloride)	Attention deficit hyperactivity disorder

Naltrexone

Section	Indications
Medicines for alcohol use disorders ◦ Parenteral > General injections > IM: 380 mg in vial (extended-release) ◦ Oral > Solid > tablet: 50 mg	Disorders due to use of alcohol

Nicotine replacement therapy

Section	Indications
Medicines for nicotine use disorders ◦ Local > Topical > Transdermal patch: 5 to 30 mg per 16 hour; 7 to 21 mg per 24 hour ◦ Oral > Solid > lozenge: 2 mg; 4 mg lozenge ◦ Local > Buccal > Oral spray: 1 mg per actuation ◦ Local > Buccal > Chewing gum: 2 mg; 4 mg	Nicotine dependence

Olanzapine

Section	Indications
Medicines for psychotic disorders ◦ Parenteral > General injections > IM: 10 mg in vial powder for injection	Therapeutic equivalent to risperidone for Schizophrenia or other primary psychotic disorders Schizophrenia or other primary psychotic disorders

Paliperidone

Section	Indications
Medicines for psychotic disorders ◦ Parenteral > General injections > IM: 25 mg in pre-filled syringe (as palmitate); 50 mg in pre-filled syringe (as palmitate); 75 mg in pre-filled syringe (as palmitate); 100 mg in pre-filled syringe (as palmitate); 150 mg in pre-filled syringe (as palmitate)	Therapeutic equivalent to risperidone for Schizophrenia or other primary psychotic disorders Schizophrenia or other primary psychotic disorders

Paroxetine

Section	Indications
Medicines for anxiety disorders	Therapeutic equivalent to fluoxetine for Generalised anxiety disorder

Phenelzine

Section	Indications
Medicines for depressive disorders ◦ Oral > Solid > dosage form: 15 mg (as sulfate)	Other specified depressive disorders

Quetiapine

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to risperidone for Schizophrenia or other primary psychotic disorders
Medicines for bipolar disorders ◦ Oral > Solid > tablet: 25 mg (immediate-release); 100 mg (immediate-release); 150 mg (immediate-release); 200 mg (immediate-release); 300 mg (immediate-release); 50 mg (modified-release); 150 mg (modified-release); 200 mg (modified-release); 300 mg (modified-release); 400 mg (modified-release)	Bipolar or related disorders

Risperidone

Section	Indications
Medicines for psychotic disorders ◦ Oral > Solid: 0.25 mg; 0.5 mg; 1 mg; 2 mg; 3 mg; 4 mg; 6 mg ◦ Parenteral > General injections > IM:	Schizophrenia or other primary psychotic disorders Therapeutic equivalent to paliperidone for Schizophrenia or other primary psychotic disorders

Sertraline

Section	Indications
Medicines for anxiety disorders	Therapeutic equivalent to fluoxetine for Generalised anxiety disorder

Valproic acid (sodium valproate)

Section	Indications
Medicines for bipolar disorders ◦ Oral > Solid: 200 mg tablet (enteric-coated); 500 mg tablet (enteric-coated)	Bipolar or related disorders

Varenicline

Section	Indications
Medicines for nicotine use disorders ◦ Oral > Solid: 0.5 mg; 1 mg	Nicotine dependence

Zuclopenthixol decanoate

Section	Indications
Medicines for psychotic disorders	Therapeutic equivalent to fluphenazine for Schizophrenia or other primary psychotic disorders