




Section: [1. Anaesthetics, preoperative medicines and medical gases](#) > [1.3. Preoperative medication and sedation for short-term procedures](#)

		EMLc	ATC codes: N05CD08
Indication	Sedative-hypnotic and anxiolytic drugs	ICD11 code: <a href="#">XM881358505</a>	
INN	Midazolam		
Medicine type	Chemical agent		
List type	Core (EML) (EMLc)		
Formulations	Parenteral > General injections > IV: 1 mg per mL in 5 vial ; 5 mg per mL in 1 mL vial ; 5 mg per mL in 3 mL vial Oral > Liquid: 2 mg per mL (EMLc) Oral > Solid > dosage form: 15 mg (EML) ; 7.5 mg (EML)		
EML status history	First added in 2011 ( <a href="#">TRS 965</a> ) Changed in 2021 ( <a href="#">TRS 1035</a> ) Changed in 2025 ( <a href="#">TRS 1064</a> )		
Sex	All		
Age	Also recommended for children		
Therapeutic alternatives	Medicines within the same pharmacological class can be used		
Therapeutic alternatives limitations	Therapeutic alternatives to be reviewed (2023)		
Therapeutic alternatives limitations for EMLc	Therapeutic alternatives to be reviewed (2023)		
Patent information	Patents have expired in most jurisdictions Read more <a href="#">about patents</a> . 		
Wikipedia	<a href="#">Midazolam</a> 		
DrugBank	<a href="#">Midazolam</a> 		

## Summary of evidence and Expert Committee recommendations

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - to delete midazolam tablets 7.5 mg and 15 mg from the EMLc. - to modify the formulation descriptions of midazolam injection to better describe the available dosage forms.

