# Arsenic trioxide

Section: 8. Immunomodulators and antineoplastics > 8.2. Antineoplastics and supportive medicines > 8.2.1. Cytotoxic medicines

**EMLc** Codes ATC: L01XX27

| | |
|---|---|
| **Indication** | Acute myeloid leukaemia with recurrent genetic abnormalities<br>Code ICD11: 2A60.0 |
| **Type de médicament** | Chemical agent |
| **Type de liste** | Liste complémentaire |
| **Formulations** | **Parenteral > General injections > IV:** 1 mg per mL concentrate for solution for infusion ; 2 mg per mL concentrate for solution for infusion |
| **Historique des statuts LME** | Ajouté pour la première fois en 2019 (TRS 1021)<br>Modifié en 2023 (TRS 1049) |
| **Sexe** | Tous |
| **Âge** | Aussi recommandé pour les enfants |
| **Équivalence thérapeutique** | La recommandation concerne ce médicament spécifique |
| **Renseignements sur le brevet** | Patents have expired in most jurisdictions<br>Lire la suite sur les brevets. |
| **Wikipédia** | Arsenic trioxide |
| **DrugBank** | Arsenic trioxide |

## Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended the inclusion of additional strength dosage form of aresnic trioxde (concentrate for solution for infusion 2 mg/mL) to the EML and EMLc.