

## [Erythromycin](#)

Not recommended as an essential medicine

Section:

[6. Anti-infective medicines 6.2. Antibacterials 6.2.2. Watch group antibiotics](#)

Codes ATC: [J01FA01](#)

EMLc

Indication

Bacterial infection of unspecified site Code ICD11: [1C81](#)

INN

Erythromycin

Type de médicament

Chemical agent

Groupes d'antibiotiques

[WATCH](#)

Type de liste

Liste de base

Formulations

**Parenteral > General injections > IV:** 500 mg in vial powder for injection (as lactobionate)

**Oral > Liquid:** 125 mg per 5 mL (as stearate or ethylsuccinate)

**Oral > Solid:** 250 mg (as stearate or ethylsuccinate)

Historique des statuts LME

Ajouté pour la première fois en 1977 ([TRS 615](#))

Modifié en 1979 ([TRS 641](#))

Modifié en 1987 ([TRS 770](#))

Modifié en 2007 ([TRS 950](#))

Retiré en 2017 ([TRS 1006](#))

Sexe

Tous

Âge

Aussi recommandé pour les enfants

Équivalence thérapeutique

Des médicaments appartenant à la même classe pharmacologique peuvent être utilisés

Limites de l'équivalence thérapeutique

The square box only applies to the listing of erythromycin on the EML

Limites d'équivalence thérapeutique pour l'EMLc

The square box does not apply to the listing of erythromycin on the EMLc

Renseignements sur le brevet

Patents have expired in most jurisdictions

Lire la suite [sur les brevets](#).

Wikipédia

[Erythromycin](#)

DrugBank

[Erythromycin](#)

Résumé des preuves et recommandation du comité d'experts

Erythromycin was removed from the EML and EMLc following the comprehensive review of antibiotics by the Expert Committee in 2017. However, it is noted in the Model Lists as an alternative to clarithromycin for treatment of pharyngitis