

Erythromycin

NOT RECOMMENDED AS AN

ESSENTIAL MEDICINE

Section: 6. Anti-infective medicines > 6.2. Antibacterials > 6.2.2. Watch group antibiotics

EMLc

Codes ATC: J01FA01

| | | |
|---|--|-------------------------|
| Indication | Bacterial infection of unspecified site | Code ICD11: 1C81 |
| INN | Erythromycin | |
| Type de médicament | Chemical agent | |
| Groupes d'antibiotiques |  WATCH | |
| Type de liste | Liste de base (EML) (EMLc) | |
| Formulations | Parenteral > General injections > IV: 500 mg in vial powder for injection (as lactobionate) Oral > Liquid: 125 mg per 5 mL (as stearate or ethylsuccinate) Oral > Solid: 250 mg (as stearate or ethylsuccinate) | |
| Historique des statuts LME | Ajouté pour la première fois en 1977 (TRS 615) Modifié en 1979 (TRS 641) Modifié en 1987 (TRS 770) Modifié en 2007 (TRS 950) Retiré en 2017 (TRS 1006) | |
| Sexe | Tous | |
| Âge | Aussi recommandé pour les enfants | |
| Équivalence thérapeutique | Des médicaments appartenant à la même classe pharmacologique peuvent être utilisés | |
| Limites de l'équivalence thérapeutique | The square box only applies to the listing of erythromycin on the EML | |
| Limites d'équivalence thérapeutique pour l'EMLc | The square box does not apply to the listing of erythromycin on the EMLc | |
| Renseignements sur le brevet | Patents have expired in most jurisdictions Lire la suite sur les brevets.  | |
| Wikipédia | Erythromycin  | |
| DrugBank | Erythromycin  | |

Résumé des preuves et recommandation du comité d'experts

Erythromycin was removed from the EML and EMLc following the comprehensive review of antibiotics by the Expert Committee in 2017. However, it is noted in the Model Lists as an alternative to clarithromycin for treatment of pharyngitis

