




| | | | |
|------------------------------|--|--------------------|--------------------|
| | | EMLc | Codes ATC: L01CB01 |
| Indication | Osteosarcoma of bone and articular cartilage of unspecified sites | Code ICD11: 2C21.Z | |
| INN | Etoposide | | |
| Type de médicament | Chemical agent | | |
| Type de liste | Liste complémentaire (EML) (EMLc) | | |
| Formulations | Parenteral > General injections > IV: 20 mg per mL in 5 mL ampoule ; 100 mg in vial powder for injection (as phosphate) Oral > Solid: 100 mg capsule ; 50 mg capsule | | |
| Historique des statuts LME | Ajouté pour la première fois en 2021 (TRS 1035) Modifié en 2023 (TRS 1049) | | |
| Sexe | Tous | | |
| Âge | Aussi recommandé pour les enfants | | |
| Équivalence thérapeutique | La recommandation concerne ce médicament spécifique | | |
| Renseignements sur le brevet | Patents have expired in most jurisdictions Lire la suite sur les brevets.  | | |
| Balises | Cancer | | |
| Wikipédia | Etoposide  | | |
| DrugBank | Etoposide  | | |

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended the inclusion of an additional dose form of etoposide (Powder for injection: 100 mg (as phosphate) in vial) to the EML and EMLc.

