

| | EMLc | ATC codes: L01CA02 |
|--------------------------|---|------------------------------------|
| Indication | Burkitt lymphoma including Burkitt leukaemia | ICD11 code: 2B55.6 |
| INN | Vincristine | |
| Medicine type | Chemical agent | |
| List type | Complementary (EML) (EMLc) | |
| Formulations | Parenteral > General injections > IV: 1 mg in vial (vincristine sulfate) ; 5 mg in vial (vincristine sulfate) ; 1 mg per mL in vial (vincristine sulfate) ; 2 mg per 2 mL in vial (vincristine sulfate) | |
| EML status history | First added in 2011 (TRS 965) Changed in 2015 (TRS 994) Changed in 2021 (TRS 1035) | |
| Sex | All | |
| Age | Also recommended for children | |
| Therapeutic alternatives | The recommendation is for this specific medicine | |
| Patent information | Patents have expired in most jurisdictions Read more about patents .  | |
| Tags | Cancer | |
| Wikipedia | Vincristine  | |
| DrugBank | Vincristine  | |

Summary of evidence and Expert Committee recommendations

The Expert Committee recommended the addition of new strength formulations of vincristine IV injection (1mg/mL and 2 mg/2mL) to the EML and EMLc.

[Expert Committee report](#) 

