

## [Mefloquine](#)

Not recommended as an essential medicine

Section:

[6. Anti-infective medicines](#) [6.5. Antiprotozoal medicines](#) [6.5.3. Antimalarial medicines](#) [6.5.3.1. Antimalarial medicines > Medicines for curative treatment](#)

Codes ATC: [P01BC02](#)

EMLc

Indication

Malaria due to Plasmodium vivax Code ICD11: [1F81](#)

INN

Mefloquine

Type de médicament

Chemical agent

Type de liste

Liste de base

Additional notes

To be used in combination with artesunate 50 mg

Formulations

**Oral > Solid:** 250 mg tablet (hydrochloride)

Historique des statuts LME

Ajouté pour la première fois en 1987 ([TRS 770](#))

Modifié en 1993 ([TRS 850](#))

Modifié en 2003 ([TRS 920](#))

Modifié en 2007 ([TRS 946](#))

Modifié en 2007 ([TRS 950](#))

Retiré en 2025 ([TRS 1064](#))

Sexe

Tous

Âge

Aussi recommandé pour les enfants

Équivalence thérapeutique

La recommandation concerne ce médicament spécifique

Renseignements sur le brevet

Patents have expired in most jurisdictions

Lire la suite [sur les brevets.](#)

Wikipédia

[Mefloquine](#)

DrugBank

[Mefloquine](#)

Résumé des preuves et recommandation du comité d'experts



Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - to delete the listing of single agent mefloquine from the EML and EMLc, noting that fixed dose combinations of artesunate + mefloquine are available and preferred for the curative treatment of malaria.