




Mefloquine

NOT RECOMMENDED AS AN
ESSENTIAL MEDICINE

Section: 6. Anti-infective medicines > 6.5. Antiprotozoal medicines > 6.5.3. Antimalarial medicines > 6.5.3.1. Antimalarial medicines > Medicines for curative treatment

		EMLc	Codes ATC: P01BC02
Indication	Malaria due to Plasmodium vivax	Code ICD11: 1F81	
INN	Mefloquine		
Type de médicament	Chemical agent		
Type de liste	Liste de base (EML) (EMLc)		
Additional notes	To be used in combination with artesunate 50 mg		
Formulations	Oral > Solid: 250 mg tablet (hydrochloride)		
Historique des statuts LME	Ajouté pour la première fois en 1987 (TRS 770) Modifié en 1993 (TRS 850) Modifié en 2003 (TRS 920) Modifié en 2007 (TRS 946) Modifié en 2007 (TRS 950) Retiré en 2025 (TRS 1064)		
Sexe	Tous		
Âge	Aussi recommandé pour les enfants		
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique		
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets. 		
Wikipédia	Mefloquine 		
DrugBank	Mefloquine 		

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - to delete the listing of single agent mefloquine from the EML and EMLc, noting that fixed dose combinations of artesunate + mefloquine are available and preferred for the curative treatment of malaria.

