

## [Doxycycline](#)

Statut de médicament essentiel

Section:

[6. Anti-infective medicines 6.5. Antiprotozoal medicines 6.5.3. Antimalarial medicines 6.5.3.3. Antimalarial medicines > Medicines for chemoprophylaxis in travellers](#)

Codes ATC: [J01AA02](#)

EMLc

Indication

Malaria due to Plasmodium falciparum Code ICD11: [1F40](#)

INN

Doxycycline

Type de médicament

Chemical agent

Groupes d'antibiotiques

[ACCESS](#)

Type de liste

Liste de base

Formulations

**Oral > Liquid:** 50 mg per 5 mL (calcium) ; 25 mg per 5 mL (monohydrate) powder for oral liquid

**Oral > Solid > dispersible tablet:** 100 mg (as monohydrate)

**Oral > Solid > dosage form:** 50 mg (as hyclate) ; 100 mg (as hyclate)

Historique des statuts LME

Ajouté pour la première fois en 2025 ([TRS 1064](#))

Sexe

Tous

Âge

Aussi recommandé pour les enfants

Limite d'âge

> 8 years

Équivalence thérapeutique

La recommandation concerne ce médicament spécifique

Renseignements sur le brevet

Patents have expired in most jurisdictions

Lire la suite [sur les brevets.](#)

Wikipédia

[Doxycycline](#)

DrugBank

[Doxycycline](#)

Résumé des preuves et recommandation du comité d'experts



Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - the addition of doxycycline to the EML and EMLc for chemoprophylaxis of malaria due to P. falciparum in travelers in accordance with WHO guidance on international travel and health. Recommended formulations are the same as those recommended for doxycycline in Section 6.2.1 Access group antibiotics.