

		EMLc	ATC codes: C03CA01	
Indication	Heart failure	ICD11 code: BD0Z		
INN	Furosemide			
Medicine type	Chemical agent			
List type	Core (EML) (EMLc)			
Additional notes	The square box does not apply to the listing of furosemide on the EMLc			
Formulations	Parenteral > General injections > IV: 10 mg per mL in 2 mL ampoule ; 10 mg per mL in 5 mL ampoule Oral > Liquid: 20 mg per 5 mL (EMLc) ; 50 mg per 5 mL (EMLc) Oral > Solid > tablet: 40 mg ; 20 mg			
EML status history	First added in 2005 (TRS 933) Changed in 2007 (TRS 950) Changed in 2021 (TRS 1035) Changed in 2023 (TRS 1049)			
Sex	All			
Age	Also recommended for children			
Therapeutic alternatives	bumetanide (ATC codes: C03CA02) torasemide (ATC codes: C03CA04)			
Patent information	Patents have expired in most jurisdictions Read more about patents . 			
Wikipedia	Furosemide 			
DrugBank	Furosemide 			

Summary of evidence and Expert Committee recommendations

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended the addition of new strength formulations of furosemide (injection 10 mg/mL in 5 mL; tablet 20 mg (EML and EMLc); oral liquid 50 mg/5 mL (EMLc). The Committee also recommended the removal of furosemide 10 mg tablets from the EMLc.

