Iohexol

Section: 14. Diagnostic agents > 14.2. Diagnostic agents > Radiocontrast media

ATC codes: V08AB02

Indication	X-ray contrast media, iodinated ICD11 code: XM2S71
INN	Iohexol
Medicine type	Diagnostic agent
List type	Core
Formulations	**Parenteral > General injections > unspecified:** 140 to 350 mg iodine per mL in 5 mL ampoule ; 140 to 350 mg iodine per mL in 10 mL ampoule ; 140 to 350 mg iodine per mL in 20 mL ampoule
EML status history	First added in 1984 (TRS 722) Changed in 1987 (TRS 770) Removed in 1989 (TRS 796) Added in 1999 (TRS 895) Changed in 2021 (TRS 1035)
Sex	All
Age	Adolescents and adults
Therapeutic alternatives	Medicines within the same pharmacological class can be used
Therapeutic alternatives limitations	Therapeutic alternatives to be reviewed (2023)
Patent information	Patents have expired in most jurisdictions Read more about patents.
Wikipedia	Iohexol
DrugBank	Iohexol

Summary of evidence and Expert Committee recommendations

Following the review of square box listings on the EML and EMLc, the Expert Committee recommended the therapeutic alternatives for iohexol be reviewed.