

		EMLc	Codes ATC: A02BA02
Indication	Gastro-oesophageal reflux disease	Code ICD11: DA22.Z	
INN	Ranitidine		
Type de médicament	Chemical agent		
Type de liste	Liste de base (EML) (EMLc)		
Formulations	Oral > Liquid: 75 mg per 5 mL (as hydrochloride) Oral > Solid: 150 mg (as hydrochloride) Parenteral > General injections > unspecified: 25 mg per mL in 2 mL ampoule (as hydrochloride)		
Historique des statuts LME	Ajouté pour la première fois en 2003 (TRS 920) Modifié en 2007 (TRS 950) Modifié en 2021 (TRS 1035)		
Sexe	Tous		
Âge	Aussi recommandé pour les enfants		
Équivalence thérapeutique	Des médicaments appartenant à la même classe pharmacologique peuvent être utilisés		
Limites de l'équivalence thérapeutique	Therapeutic alternatives are medicines in the 4th level ATC chemical subgroup A02BA H2-receptor antagonists (excluding combinations)		
Limites d'équivalence thérapeutique pour l'EMLc	Therapeutic alternatives are medicines in the 4th level ATC chemical subgroup A02BA H2-receptor antagonists (excluding combinations)		
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets . 		
Wikipédia	Ranitidine 		
DrugBank	Ranitidine 		

Résumé des preuves et recommandation du comité d'experts

Following the review of square box listings on the EML and EMLc, the Expert Committee recommended that medicines in 4th level ATC chemical subgroup, A02BA H2-receptor antagonists (excluding combinations), be specified as therapeutic alternatives under the square box listing for ranitidine on the EML and EMLc.

