

[Diazepam](#)

Statut de médicament essentiel

Section:

[2. Medicines for pain and palliative care](#) [2.3. Medicines for other common symptoms in palliative care](#)

Codes ATC: [N05BA01](#)

EMLc

Indication

Palliative care Code ICD11: [QC7A](#)

INN

Diazepam

Type de médicament

Chemical agent

Type de liste

Liste de base

Formulations

Oral > Liquid: 2 mg per 5 mL

Local > Rectal > Gel: 5 mg per mL in 0.5 mL rectal delivery system ; 5 mg per mL in 2 mL rectal delivery system ; 5 mg per mL in 4 mL rectal delivery system

Local > Rectal > Solution: 2 mg per mL in 1.25 mL rectal tube ; 2 mg per mL in 2.5 mL rectal tube ; 4 mg per mL in 2.5 mL rectal tube

Parenteral > General injections > unspecified: 5 mg per mL (EML)

Oral > Solid > tablet: 5 mg (scored) ; 10 mg (scored) ; 2 mg (scored) (EMLc)

Historique des statuts LME

Ajouté pour la première fois en 1991 ([TRS 825](#))

Modifié en 2009 ([TRS 958](#))

Modifié en 2013 ([TRS 985](#))

Modifié en 2023 ([TRS 1049](#))

Modifié en 2025 ([TRS 1064](#))

Sexe

Tous

Âge

Aussi recommandé pour les enfants

Équivalence thérapeutique

La recommandation concerne ce médicament spécifique

Renseignements sur le brevet

Patents have expired in most jurisdictions

Lire la suite [sur les brevets.](#)

Wikipédia

[Diazepam](#)

DrugBank

[Diazepam](#)

Résumé des preuves et recommandation du comité d'experts



Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - the addition of diazepam 2 mg scored tablets to the EMLc; - the deletion of diazepam injection 5 mg/mL from the EMLc.