Diazepam

Section: 2. Medicines for pain and palliative care > 2.3. Medicines for other common symptoms in palliative care

EMLc | Codes ATC: N05BA01

Indication	Palliative care Code ICD11: QB9B
INN	Diazepam
Type de médicament	Chemical agent
Type de liste	Liste de base
Formulations	**Oral > Liquid:** 2 mg per 5 mL **Local > Rectal > Gel:** 5 mg per mL in 0.5 mL rectal delivery system ; 5 mg per mL in 2 mL rectal delivery system ; 5 mg per mL in 4 mL rectal delivery system **Local > Rectal > Solution:** 2 mg per mL in 1.25 mL rectal tube ; 2 mg per mL in 2.5 mL rectal tube ; 4 mg per mL in 2.5 mL rectal tube **Parenteral > General injections > unspecified:** 5 mg per mL (EML) **Oral > Solid > tablet:** 5 mg (scored) ; 10 mg (scored) ; 2 mg (scored) (EMLc)
Historique des statuts LME	Ajouté pour la première fois en 1991 (TRS 825) Modifié en 2009 (TRS 958) Modifié en 2013 (TRS 985) Modifié en 2023 (TRS 1049) Modifié en 2025 (TRS 1064)
Sexe	Tous
Âge	Aussi recommandé pour les enfants
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets.
Wikipédia	Diazepam
DrugBank	Diazepam

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - the addition of diazepam 2 mg scored tablets to the EMLc; - the deletion of diazepam injection 5 mg/mL from the EMLc.