Midazolam

Section: 2. Medicines for pain and palliative care > 2.3. Medicines for other common symptoms in palliative care

EMLc | Codes ATC: N05CD08

Indication	Palliative care Code ICD11: QB9B
INN	Midazolam
Type de médicament	Chemical agent
Type de liste	Liste de base
Formulations	**Oral > Liquid:** 2 mg per mL (EMLc) **Parenteral > General injections > unspecified:** 1 mg per mL in 5 mL vial ; 5 mg per mL in 1 mL vial ; 5 mg per mL in 3 mL vial **Local > Buccal > Solution:** ; 5 mg per mL in 0.5 mL pre-filled syringe (for oromucosal administration) ; 5 mg per mL in 1 mL pre-filled syringe (for oromucosal administration) ; 5 mg per mL in 1.5 mL pre-filled syringe (for oromucosal administration) ; 5 mg per mL in 2 mL pre-filled syringe (for oromucosal administration) ; 10 mg per mL in 0.25 mL pre-filled syringe (for oromucosal administration) ; 10 mg per mL in 0.5 mL pre-filled syringe (for oromucosal administration) ; 10 mg per mL in 0.75 mL pre-filled syringe (for oromucosal administration) ; 10 mg per mL in 1 mL pre-filled syringe (for oromucosal administration) **Oral > Solid > dosage form:** 7.5 mg (EML) ; 15 mg (EML)
Historique des statuts LME	Ajouté pour la première fois en 2009 (TRS 958) Modifié en 2013 (TRS 985) Modifié en 2025 (TRS 1064)
Sexe	Tous
Âge	Aussi recommandé pour les enfants
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets.
Wikipédia	Midazolam
DrugBank	Midazolam

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - the addition of midazolam solution for oral administration 5 mg/mL and 10 mg/mL to the EML and EMLc; - the deletion of midazolam solid oral dosage forms from the EMLc; - to modify the formulations descriptions of midazolam injection to better describe the available dosage forms.