



Section: 2. Medicines for pain and palliative care &gt; 2.3. Medicines for other common symptoms in palliative care

EMLc

Codes ATC: N05CD08

<b>Indication</b>	Palliative care Code ICD11: QC7A
<b>INN</b>	Midazolam
<b>Type de médicament</b>	Chemical agent
<b>Type de liste</b>	Liste de base (EML) (EMLc)
<b>Formulations</b>	Oral > Liquid: 2 mg per mL (EMLc) Parenteral > General injections > unspecified: 1 mg per mL ; 5 mg per mL Oral > Solid > dosage form: 7.5 mg ; 15 mg
<b>Historique des statuts LME</b>	Ajouté pour la première fois en 2009 (TRS 958) Modifié en 2013 (TRS 985)
<b>Sexe</b>	Tous
<b>Âge</b>	Aussi recommandé pour les enfants
<b>Équivalence thérapeutique</b>	La recommandation concerne ce médicament spécifique
<b>Renseignements sur le brevet</b>	Patents have expired in most jurisdictions Lire la suite <a href="#">sur les brevets</a> . <input checked="" type="checkbox"/>
<b>Wikipédia</b>	Midazolam
<b>DrugBank</b>	Midazolam

## Résumé des preuves et recommandation du comité d'experts

Following a review of medicines for palliative care by the Expert Committee in 2013, midazolam was added to the EML for use in the management of anxiety, agitation and delirium in patients receiving palliative care. Additional oral dose forms were added to the EMLc.

