

## [Iodine](#)

Statut de médicament essentiel

Section:

[27. Vitamins and minerals](#)

Codes ATC: [H03CA](#)

EMLc

Indication

Iodine deficiency Code ICD11: [5B5K.3](#)

Type de médicament

Chemical agent

Type de liste

Liste de base

Formulations

**Parenteral > General injections > IM:** 480 mg per mL in 10 mL ampoule or vial iodized oil (oral or injectable)

Historique des statuts LME

Ajouté pour la première fois en 1989 ([TRS 796](#))

Modifié en 1993 ([TRS 850](#))

Modifié en 2007 ([TRS 950](#))

Modifié en 2019 ([TRS 1021](#))

Modifié en 2025 ([TRS 1064](#))

Sexe

Tous

Âge

Aussi recommandé pour les enfants

Équivalence thérapeutique

La recommandation concerne ce médicament spécifique

Renseignements sur le brevet

Patents have expired in most jurisdictions

Lire la suite [sur les brevets.](#)

Wikipédia

[Iodine](#)

DrugBank

[Iodine](#)

Recommandation du comité d'experts

The Expert Committee noted that the primary strategy for elimination of iodine deficiency is universal salt iodization, but that implementation of salt iodization programmes may not be feasible in all settings. In this case, iodine supplementation or iodine-fortified foods may be required for susceptible patient groups such as pregnant and lactating women, women of child-bearing age, and young children. The Committee noted that an oral liquid formulation of iodized oil remains listed on the Model Lists as a treatment option for use in the prevention and treatment of iodine deficiency in such settings. The Committee noted that the applicant had withdrawn marketing authorizations for its product worldwide due to decreased medical need and a lack of demand. No other manufacturers were identified. The Expert Committee therefore recommended the deletion of iodine capsules 190 mg for prevention of iodine deficiency from the EML and EMLc ----- Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - the deletion of iodized oil 0.5 mL (240 mg iodine) in ampoules and 0.57 mL (308 mg iodine) in bottle formulations from the EML and EMLc; - modifying the listing description for iodized oil 480 mg/mL to better describe formulation characteristics.

Contexte

Iodine capsules for use in the prevention of iodine deficiency have been included on the EML since 1989 and on the EMLc since 2007. The Model Lists currently also include iodized oil for oral or injectable administration for this indication.

Directives de l'OMS

A 2007 joint statement by WHO and UNICEF recommended iodine supplementation for increasing iodine intake if iodized salt was not accessible in specific situations. Iodine supplements could be administered on a daily or annual basis using an iodized oil preparation in doses ranging from 90 micrograms per day or 200 mg per year for children younger than 2 years to 250 micrograms per day or 400 mg per year for women of reproductive age, and pregnant and lactating women (1)

Disponibilité

The applicant (Guerbet, Villepinte, France) advised that due to decreasing medical needs over the years and the lack of demand for their product for the past 5 years, Guerbet has started withdrawing the marketing authorizations worldwide. Since 2022, all marketing authorization in export countries was withdrawn and Guerbet has applied for withdrawal of the last marketing authorization in France.

Autres considérations

The Department of Nutrition and Food safety reviewed the application and advised that it did not oppose the removal of iodine capsules from the Model Lists. The department advised that it was not aware of any countries implementing iodine supplementation with iodized oil capsules. Additionally, outreach to partners did not reveal any country implementing iodized oil capsules.

Afficher les références Masquer les références

1. Reaching optimal iodine nutrition in pregnant and lactating women and young children. Joint statement by the World Health Organization and the United Nations Children's Fund. Geneva: World Health Organization; 2007.

(<https://www.who.int/publications/m/item/WHO-statement-IDD-pregnantwomen-children>).