Budesonide

Section: 28. Ear, nose and throat medicines [c]

EMLc | Codes ATC: R01AD05

Indication	Allergic rhinitis Code ICD11: CA08.0Z
INN	Budesonide
Type de médicament	Chemical agent
Type de liste	Liste de base
Formulations	**Local > Nasal > Spray:** 32 µg per actuation (EMLc) ; 64 µg per actuation (EMLc)
Historique des statuts LME	Ajouté pour la première fois en 2009 (TRS 958) Modifié en 2021 (TRS 1035) Modifié en 2025 (TRS 1064)
Sexe	Tous
Âge	Enfants (1 mois - 12 ans)
Équivalence thérapeutique	Des médicaments appartenant à la même classe pharmacologique peuvent être utilisés
Limites d'équivalence thérapeutique pour l'EMLc	Therapeutic alternatives to be reviewed
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets.
Wikipédia	Budesonide
DrugBank	Budesonide

Résumé des preuves et recommandation du comité d'experts

Following the review of of the age-appropriateness of formulations of essential medicines for children, the Expert Committee recommended the strength of budesonide nasal spray be updated to reflect the available product strengths. The Committee also recommended the listing description be changed from 'per dose' to 'per actuation' as the administered dose may comprise more than one actuation (spray).