Etoposide

Section: 8. Immunomodulators and antineoplastics > 8.2. Antineoplastics and supportive medicines > 8.2.1. Cytotoxic medicines

EMLc | Codes ATC: L01CB01

Indication	Burkitt lymphoma including Burkitt leukaemia — Code ICD11: 2A85.6
INN	Etoposide
Type de médicament	Chemical agent
Type de liste	Liste complémentaire
Formulations	**Parenteral > General injections > IV:** 20 mg per mL in 5 mL ampoule ; 100 mg in vial powder for injection (as phosphate) **Oral > Solid:** 100 mg capsule ; 50 mg capsule
Historique des statuts LME	Ajouté pour la première fois en 2015 (TRS 994) Modifié en 2019 (TRS 1021) Modifié en 2023 (TRS 1049)
Sexe	Tous
Âge	Aussi recommandé pour les enfants
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets.
Balises	Cancer
Wikipédia	Etoposide
DrugBank	Etoposide

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended the inclusion of an additional dose form of etoposide (Powder for injection: 100 mg (as phosphate) in vial) to the EML and EMLc.