

EMLc

ATC codes: [N01BB52](#)

Indication	Local anaesthetics <span>ICD11 code: <a href="#">XM7Y85</a></span>
INN	Lidocaine + epinephrine
Medicine type	Chemical agent
List type	Core (EML) (EMLc)
Formulations	Parenteral > Locoregional injections > Other: 1% (lidocaine hydrochloride OR lidocaine sulfate) + 1:200 000 epinephrine in vial ; 2% (lidocaine hydrochloride OR lidocaine sulfate) + 1:200 000 epinephrine in vial Local > Dental > Cartridge: 2% (lidocaine hydrochloride) + 1:80 000 epinephrine
EML status history	First added in 2002 ( <a href="#">TRS 914</a> ) Changed in 2007 ( <a href="#">TRS 950</a> )
Sex	All
Age	Also recommended for children
Therapeutic alternatives	The recommendation is for this specific medicine
Patent information	Patents have expired in most jurisdictions Read more <a href="#">about patents</a> . 
Wikipedia	<a href="#">Lidocaine + epinephrine</a> 
DrugBank	<a href="#">Lidocaine</a>  , <a href="#">Epinephrine</a> 

## Summary of evidence and Expert Committee recommendations

The EMLc Subcommittee endorsed the inclusion of lidocaine + epinephrine as a local anaesthetic on the core list of the first EMLc.

