

[Lidocaine + epinephrine](#)

Statut de médicament essentiel

Section:

[1. Anaesthetics, preoperative medicines and medical gases](#) [1.2. Local anaesthetics](#)

Codes ATC: [N01BB52](#)

EMLc

Indication

Local anaesthetics Code ICD11: [XM7Y85](#)

INN

Lidocaine + epinephrine

Type de médicament

Chemical agent

Type de liste

Liste de base

Formulations

Parenteral > Locoregional injections > Other: 1% (lidocaine hydrochloride OR lidocaine sulfate) + 1:200 000 epinephrine ; 2% (lidocaine hydrochloride OR lidocaine sulfate) + 1:200 000 epinephrine

Local > Dental > Cartridge: 2% (lidocaine hydrochloride) + 1:80 000 epinephrine

Historique des statuts LME

Ajouté pour la première fois en 2002 ([TRS 914](#))

Modifié en 2007 ([TRS 950](#))

Modifié en 2025 ([TRS 1064](#))

Sexe

Tous

Âge

Aussi recommandé pour les enfants

Équivalence thérapeutique

La recommandation concerne ce médicament spécifique

Renseignements sur le brevet

Patents have expired in most jurisdictions

Lire la suite [sur les brevets](#).

Wikipédia

[Lidocaine + epinephrine](#)

DrugBank

[Lidocaine](#),

[Epinephrine](#)

Résumé des preuves et recommandation du comité d'experts



Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - to modify the formulation descriptions of lidocaine + epinephrine (adrenaline) injection to better describe the available dosage forms.