Lidocaine + epinephrine

Section: 1. Anaesthetics, preoperative medicines and medical gases > 1.2. Local anaesthetics

EMLc | Codes ATC: N01BB52

Indication	Local anaesthetics Code ICD11: XM7Y85
INN	Lidocaine + epinephrine
Type de médicament	Chemical agent
Type de liste	Liste de base
Formulations	**Parenteral > Locoregional injections > Other:** 1% (lidocaine hydrochloride OR lidocaine sulfate) + 1:200 000 epinephrine ; 2% (lidocaine hydrochloride OR lidocaine sulfate) + 1:200 000 epinephrine **Local > Dental > Cartridge:** 2% (lidocaine hydrochloride) + 1:80 000 epinephrine
Historique des statuts LME	Ajouté pour la première fois en 2002 (TRS 914) Modifié en 2007 (TRS 950) Modifié en 2025 (TRS 1064)
Sexe	Tous
Âge	Aussi recommandé pour les enfants
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets.
Wikipédia	Lidocaine + epinephrine
DrugBank	Lidocaine, Epinephrine

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - to modify the formulation descriptions of lidocaine + epinephrine (adrenaline) injection to better describe the available dosage forms.