Cyclophosphamide

Section: 8. Immunomodulators and antineoplastics > 8.2. Antineoplastics and supportive medicines > 8.2.1. Cytotoxic medicines

EMLc | Codes ATC: L01AA01

Indication	Burkitt lymphoma including Burkitt leukaemia Code ICD11: 2A85.6
INN	Cyclophosphamide
Type de médicament	Chemical agent
Type de liste	Liste complémentaire
Formulations	**Parenteral > General injections > IV:** 500 mg in vial powder for injection ; 1 g in vial powder for injection ; 2 g in vial powder for injection **Oral > Solid > dosage form:** 25 mg ; 50 mg
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) Modifié en 2011 (TRS 965) Modifié en 2015 (TRS 994) Modifié en 2019 (TRS 1021) Modifié en 2021 (TRS 1035) Modifié en 2023 (TRS 1049)
Sexe	Tous
Âge	Aussi recommandé pour les enfants
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets.
Balises	Cancer
Wikipédia	Cyclophosphamide
DrugBank	Cyclophosphamide

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended the listings for oral dosage forms of cyclophosphamide on the EML and EMLc be amended to replace 'tablet' with 'solid oral dosage form' to reflect the availability also of capsules and allow greater flexibility in procurement.