

[Clofazimine](#)

Statut de médicament essentiel

Section:

[6. Anti-infective medicines 6.2. Antibacterials 6.2.4. Antileprosy medicines](#)

Codes ATC: [J04BA01](#)

EMLc

Indication

Leprosy Code ICD11: [1B50.Z](#)

INN

Clofazimine

Type de médicament

Chemical agent

Type de liste

Liste de base

Additional notes

Medicines for leprosy should be used in accordance with recommendations in WHO guidelines. Medicines used in the treatment of leprosy should never be used except in combination. Combination therapy is essential to prevent the emergence of drug resistance. Colour-coded blister packs (MDT blister packs) containing standard two-medicine (paucibacillary leprosy) or three-medicine (multibacillary leprosy) combinations for adult and childhood leprosy should be used. MDT blister packs can be supplied free of charge through WHO.

Formulations

Oral > Solid > dosage form: 100 mg ; 50 mg

Historique des statuts LME

Ajouté pour la première fois en 1977 ([TRS 615](#))

Modifié en 1982 ([TRS 685](#))

Modifié en 1984 ([TRS 722](#))

Modifié en 2003 ([TRS 920](#))

Modifié en 2007 ([TRS 946](#))

Modifié en 2019 ([TRS 1021](#))

Modifié en 2025 ([TRS 1064](#))

Sexe

Tous

Âge

Aussi recommandé pour les enfants

Équivalence thérapeutique

La recommandation concerne ce médicament spécifique

Renseignements sur le brevet

Patents have expired in most jurisdictions

Lire la suite [sur les brevets.](#)

Wikipédia

[Clofazimine](#)

DrugBank

[Clofazimine](#)

Résumé des preuves et recommandation du comité d'experts

Addition of note stating that medicines for leprosy should be used in accordance with recommendations in WHO guidelines.