

EMLc

Codes ATC: J04BA01

Indication	Leprosy Code ICD11: 1B50.Z
INN	Clofazimine
Type de médicament	Chemical agent
Type de liste	Liste de base (EML) (EMLc)
Additional notes	Medicines used in the treatment of leprosy should never be used except in combination. Combination therapy is essential to prevent the emergence of drug resistance. Colour-coded blister packs (MDT blister packs) containing standard two-medicine (paucibacillary leprosy) or three-medicine (multibacillary leprosy) combinations for adult and childhood leprosy should be used. MDT blister packs can be supplied free of charge through WHO.
Formulations	Oral > Solid: 100 mg ; 50 mg
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) Modifié en 1982 (TRS 685) Modifié en 1984 (TRS 722) Modifié en 2003 (TRS 920) Modifié en 2007 (TRS 946) Modifié en 2019 (TRS 1021)
Sexe	Tous
Âge	Aussi recommandé pour les enfants
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets .
Wikipédia	Clofazimine
DrugBank	Clofazimine

Résumé des preuves et recommandation du comité d'experts

The Expert Committee recommended an amendment to the dosage form terminology for clofazimine, replacing 'capsule' with 'solid oral dosage form'.

