




		EMLc	Codes ATC: J04BA02
Indication	Leprosy	Code ICD11: 1B50.Z	
INN	Dapsone		
Type de médicament	Chemical agent		
Type de liste	Liste de base (EML) (EMLc)		
Additional notes	Medicines used in the treatment of leprosy should never be used except in combination. Combination therapy is essential to prevent the emergence of drug resistance. Colour-coded blister packs (MDT blister packs) containing standard two-medicine (paucibacillary leprosy) or three-medicine (multibacillary leprosy) combination for adult and childhood leprosy should be used. MDT blister packs can be supplied free of charge through WHO.		
Formulations	Oral > Solid: 100 mg tablet ; 50 mg tablet ; 25 mg tablet		
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) Modifié en 1982 (TRS 685) Modifié en 1997 (TRS 882) Modifié en 2003 (TRS 920) Modifié en 2007 (TRS 950)		
Sexe	Tous		
Âge	Aussi recommandé pour les enfants		
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique		
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets. 		
Wikipédia	Dapsone 		
DrugBank	Dapsone 		

Résumé des preuves et recommandation du comité d'experts

Dapsone was endorsed as an essential medicine for children by the EMLc Subcommittee and included on the first EMLc in 2007 for the treatment of leprosy.

