




		<b>EMLc</b>	Codes ATC: <b>J01CA04</b>
<b>Indication</b>	Acute malnutrition in infants, children or adolescents	Code ICD11: <b>5B52</b>	
<b>INN</b>	Amoxicillin		
<b>Type de médicament</b>	Chemical agent		
<b>Groupes d'antibiotiques</b>	<b>A ACCESS</b>		
<b>Type de liste</b>	Liste de base (EML) (EMLc)		
<b>Formulations</b>	Oral > Liquid: 125 mg per 5 mL (as trihydrate) powder for oral liquid (EMLc) ; 250 mg per 5 mL (as trihydrate) powder for oral liquid (EMLc) Parenteral > General injections > unspecified: 250 mg in vial (as sodium) powder for injection (EMLc) ; 500 mg in vial (as sodium) powder for injection (EMLc) ; 1 g in vial (as sodium) powder for injection (EMLc) Oral > Solid > dispersible tablet: 250 mg (scored) (as trihydrate) (EMLc) ; 500 mg (scored) (as trihydrate) (EMLc) Oral > Solid > dosage form: 250 mg (as trihydrate) (EMLc) ; 500 mg (as trihydrate) (EMLc)		
<b>Historique des statuts LME</b>	Ajouté pour la première fois en 2017 ( <b>TRS 1006</b> ) Modifié en 2023 ( <b>TRS 1049</b> )		
<b>Sexe</b>	Tous		
<b>Âge</b>	Enfants (1 mois - 12 ans)		
<b>Équivalence thérapeutique</b>	La recommandation concerne ce médicament spécifique		
<b>Renseignements sur le brevet</b>	Patents have expired in most jurisdictions Lire la suite <a href="#">sur les brevets.</a> 		
<b>Wikipédia</b>	<a href="#">Amoxicillin</a> 		
<b>DrugBank</b>	<a href="#">Amoxicillin</a> 		

## Recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - the addition of new formulations of amoxicillin (dispersible, scored tablet, 250 mg and 500 mg) to the EMLc.

## Recommandations de la LME : Acute malnutrition in infants, children or adolescents

### Premier choix

### Second choix

## UNCOMPLICATED [ENFANTS]

amoxicillin

## COMPLICATED [ENFANTS]

benzylpenicillin

co-prescrire avec [gentamicin](#)

ampicillin

co-prescrire avec [gentamicin](#)

amoxicillin

