




EMLc
Codes ATC: N03AB02

| | |
|------------------------------|---|
| Indication | Epilepsy or seizures Code ICD11: 8A6Z |
| INN | Phenytoin |
| Type de médicament | Chemical agent |
| Type de liste | Liste de base (EML) (EMLc) |
| Formulations | Oral > Liquid: 30 mg per 5 mL (phenytoin) Parenteral > General injections > unspecified: 50 mg per mL in vial (phenytoin sodium) Oral > Solid > tablet: 50 mg (phenytoin) (chewable) Oral > Solid > dosage form: 25 mg (phenytoin sodium) ; 50 mg (phenytoin sodium) ; 100 mg (phenytoin sodium) |
| Historique des statuts LME | Ajouté pour la première fois en 1977 (TRS 615) Modifié en 1979 (TRS 641) Modifié en 1993 (TRS 850) Modifié en 2007 (TRS 946) Modifié en 2007 (TRS 950) Modifié en 2023 (TRS 1049) |
| Sexe | Tous |
| Âge | Aussi recommandé pour les enfants |
| Équivalence thérapeutique | La recommandation concerne ce médicament spécifique |
| Renseignements sur le brevet | Patents have expired in most jurisdictions Lire la suite sur les brevets.  |
| Wikipédia | Phenytoin  |
| DrugBank | Phenytoin  |

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - deletion of phenytoin oral liquid 25 mg/5 mL (and associated note) from the EML and EMLc - the salt or free acid form of phenytoin be specified for each formulation type.

