

EMLc

Codes ATC: N03AB02

Indication	Epilepsy or seizures Code ICD11: 8A6Z
INN	Phenytoin
Type de médicament	Chemical agent
Type de liste	Liste de base (EML) (EMLc)
Formulations	Oral > Liquid: 30 mg per 5 mL (phenytoin) Parenteral > General injections > unspecified: 50 mg per mL in vial (phenytoin sodium) Oral > Solid > tablet: 50 mg (phenytoin) (chewable) Oral > Solid > dosage form: 50 mg (phenytoin sodium) ; 25 mg (phenytoin sodium) ; 100 mg (phenytoin sodium)
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) Modifié en 1979 (TRS 641) Modifié en 1993 (TRS 850) Modifié en 2007 (TRS 946) Modifié en 2007 (TRS 950) Modifié en 2023 (TRS 1049)
Sexe	Tous
Âge	Aussi recommandé pour les enfants
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets. 
Wikipédia	Phenytoin 
DrugBank	Phenytoin 

Résumé des preuves et recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - deletion of phenytoin oral liquid 25 mg/5 mL (and associated note) from the EML and EMLc - the salt or free acid form of phenytoin be specified for each formulation type.

