

EMLc

Codes ATC: A01AB17

Indication	Intestinal infections due to Clostridioides difficile	Code ICD11: 1A04
INN	Metronidazole	
Type de médicament	Chemical agent	
Groupes d'antibiotiques	A ACCESS	
Type de liste	Liste de base (EML) (EMLc)	
Formulations	Oral > Liquid: 200 mg per 5 mL (as benzoate) Local > Rectal > Suppository: 500 mg (EML) ; 1 g (EML) Parenteral > General injections > unspecified: 500 mg per 100 mL in vial Oral > Solid > tablet: 200 mg ; 250 mg ; 400 mg ; 500 mg	
Historique des statuts LME	Ajouté pour la première fois en 2017 (TRS 1006) Modifié en 2023 (TRS 1049)	
Sexe	Tous	
Âge	Aussi recommandé pour les enfants	
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique	
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets. 	
Wikipédia	Metronidazole 	
DrugBank	Metronidazole 	

### Recommandation du comité d'experts

Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended a note be added to the listing of oral vancomycin on the EML and EMLc to indicate that the powder for injection dosage form may also be used for oral administration. Following the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended that the range of strengths of metronidazole tablets be replaced with reference to specific strengths on the EML and EMLc.

#### Recommandations de la LME : Intestinal infections due to Clostridioides difficile

##### Premier choix

metronidazole

##### Second choix

vancomycin

