Doxycycline 🥑



Section: 6. Anti-infective medicines > 6.2. Antibacterials > 6.2.1. Access group antibiotics

	·		EMLc	ATC codes: J01AA02
Indication	Cholera	ICD11 code: 1A00		
INN	Doxycycli	ne		
Medicine type	Chemical	agent		
Antibiotic groups	ACCE	555		
List type	Core (EM (EMLc)	L)		
Formulations	Oral > Liquid: 25 mg per 5 mL powder for oral liquid (monohydrate) (EMLc) ; 50 mg per 5 mL (calcium) (EMLc) Oral > Solid: 50 mg (as hyclate) (EMLc) ; 100 mg (as hyclate) Parenteral > General injections > unspecified: 100 mg in vial powder for injection Oral > Solid > dispersible tablet: 100 mg (as monohydrate) (EMLc)			
EML status history	First added in 2017 (TRS 1006) Changed in 2023 (TRS 1049)			
Sex	All			
Age	Also reco	nmended for children		
Age restriction	Use in children under 8 years of age only for life-threatening infections when no alternatives exist.			
Therapeutic alternatives	The recommendation is for this specific medicine			
Patent information	Patents have expired in most jurisdictions Read more about patents.			
Wikipedia	Doxycycli	ne 🖪		
DrugBank	Doxycycli	ne 🗹		

Expert Committee recommendation

In consideration of the review of the age appropriateness of formulations of medicines on the EMLc, and the comparison report of the EML versus EMLc, the Expert Committee recommended changes to the EMLc for addition of new, age-appropriate formulations and strengths of existing essential medicines, deletion of unavailable or age-inappropriate formulations and strengths, and other listing modifications as proposed in the application. The Committee also endorsed the proposals for further review of the public health relevance and evidence for specific medicines for use in children for potential future consideration for inclusion on the EMLc. The Committee noted and welcomed the ongoing review being coordinated by the Secretariat for the remaining sections of the EMLc for consideration by the 2025 Expert Committee. As a result of the review of the age-appropriateness of formulations on the EMLc, the Expert Committee recommended: - replacing the oral liquid formulation of azithromycin (200 mg/5 mL) with powder for oral liquid 200 mg/5 mL on the EMLc. - the addition of a new strength formulation of ciprofloxacin (solid oral dosage form 100 mg (as hydrochloride)) to the EMLc. - the addition of new strength formulations of doxycycline (powder for oral liquid 25 mg/5 mL (monohydrate), oral liquid 50 mg/5 mL (calcium), and dispersible tablet 100 mg (as monohydrate) on the EMLc.

EML recommendations: Cholera

Second choice

