

		EMLc	Codes ATC: P02BA02
Indication	Schistosomiasis due to <i>Schistosoma mansoni</i>	Code ICD11: 1G55.1	
INN	Oxamniquine		
Type de médicament	Chemical agent		
Type de liste	Liste complémentaire (EML) (EMLc)		
Additional notes	oxamniquine is listed for use when praziquantel treatment fails.		
Formulations	Oral > Liquid: 250 mg per 5 mL Oral > Solid > capsule: 250 mg		
Historique des statuts LME	Ajouté pour la première fois en 1977 (TRS 615) Modifié en 1979 (TRS 641) Modifié en 1997 (TRS 882) Modifié en 2005 (TRS 933) Modifié en 2007 (TRS 950)		
Sexe	Tous		
Âge	Aussi recommandé pour les enfants		
Équivalence thérapeutique	La recommandation concerne ce médicament spécifique		
Renseignements sur le brevet	Patents have expired in most jurisdictions Lire la suite sur les brevets. 		
Wikipédia	Oxamniquine 		
DrugBank	Oxamniquine 		

Résumé des preuves et recommandation du comité d'experts

Oxamniquine is recognized as second-line treatment for the treatment of schistosomiasis [praziquantel remains the first-line choice for all forms of schistosomiasis]. Noting that there are significant research gaps for medicines for children in this area, the EMLc Subcommittee decided to endorse this product as essential but highlighted the need for adequate studies to determine the effectiveness and safety of it in children.

